BPO NO: 001B7400274

PRINT DATE: 01/06/17

PAGE: 01

SHIP TO:

AS SPECIFIED ON INDIVIDUAL ORDERS

VENDOR ID:

SECURITY EQUIPMENT CO 3828 WASHINGTON BLVD

BALTIMORE, MD (410) 247-9600 21227

REFER QUESTIONS TO:

STACEY POLLITT (410) 767-3002

STACEY. POLLITT1@MARYLAND. GOV

ITB: 001IT820427

EXPR DATE: 11/30/19 **POST DATE:** 01/05/17

DISCOUNT TERMS: . **CONTRACT AMOUNT:** NET 30 DAY

.00

TERMS:

ARTICLES HEREIN ARE EXEMPT FROM MARYLAND SALES AND USE TAXES BY EXEMPTION CERTIFICATE NUMBER 3000256-3 AND FROM FEDERAL EXCISE TAXES BY EXEMPTION NUMBER 52-73-0358K. IT IS THE VENDOR'S RESPONSIBILITY TO ADVISE COMMON CARRIERS THAT AGENCIES OF THE STATE OF MARYLAND ARE EXEMPT FROM TRANSPORTATION TAX.

*********************** ************************

STATEWIDE CONTRACT

FOR

NON-ALL TERRAIN VEHICLES

****************** ***********************

THIS IS A STATEWIDE CONTRACT FOR NON-ALL TERRAIN VEHICLES FOR THE STATE OF MARYLAND FACILITIES.

SCOPE OF THE CONTRACT:

THE TERM OF THIS CONTRACT IS THREE (3) YR W/TWO (2) ONE (1) YR RENEWAL OPTIONS 12/27/2016 - 11/30/2019.

VENDOR:

SECURITY EQUIPMENT CO.

VENDOR CONTACT:

JEFF TRIBULL

VENDOR NUMBER:

410-247-9600

VENDOR EMAIL:

JEFFT@SECURITYFNH.COM

PRODUCT ACCEPTABILITY SHALL BE A SOLE DISCRETION OF THE STATE OF MARYLAND. STATE OF MARYLAND SHALL BE THE SOLE JUDGE OF WHAT IS AN "APPROVED EQUAL". ANY PRODUCT DELIVERED AS A RESULT OF THIS AWARD WHICH DOES NOT MEED THE SPECIFICATIONS OR IS OTHERWISE FOUND TO BE DEFECTIVE, SHALL BE REJECTED AND RETURNED AT THE VENDOR'S EXPENSE FOR REPLACEMENT OR CREDIT.

^{***} CONTINUED, NEXT PAGE ***

******* STATE OF MARYLAND **********

BPO NO: 001B7400274

PRINT DATE: 01/06/17

PAGE: 02

TERMS (cont'd):

FOLLOWING DELIVERY AND ACCEPTANCE OF ALL PRODUCTS, SECURITY EQUIPMENT CO SHALL SUBMIT AN ORGINAL INVOICE TO THE ORDERING AGENCY.

REQUIREMENTS CONTRACT FOR SUPPLYING THE USING AUTHORITY WITH THEIR NEED FOR THE FOLLOWING ITEM(S) FOR THE CONTRACT PERIOD SPECIFIED.

RELEASES SHALL BE MADE AS REQUESTED BY THE USING AUTHORITY ON AN "AS REQUIRED" BASIS.

PAYMENT

PAYMENT TERMS TO BE NET, 30 DAYS. THE CONTRACTOR SHALL SUBMIT AN INVOICE TO AGENCY NO LATER THAN 15 DAYS AFTER DATE OF DELIVERY. ALL PRICES ARE TO BE DELIVERED F.O.B. CUSTOMER'S LOCATION. PRICE/DISCOUNTS LISTED ON THE CONTRACT INCLUDES ALL FIXED COSTS PER EQUIPMENT FOR FURNISHING AND DELIVERYING THE EQUIPMENT TO THE LOCATIONS.

THE VENDOR MUST COMPLY WITH ALL FEDERAL AND STATE REGULATIONS, THE STATE OF MARYLAND PROCUREMENT REGULATIONS IN EFFECT AT THE TIME OF CONTRACT AWARD.

DELIVERY AND ACCEPTANCE:

DELIVERY SHALL BE MADE IN ACCORDANCE WITH THE SOLICITATION SPECIFICATIONS. THE STATE, IN ITS SOLE DISCRETION, MAY EXTEND THE TIME OF PERFORMANCE FOR EXCUSABLE DELAYS DUE TO UNFORESEEABLE CAUSES BEYOND THE CONTRACTOR'S CONTROL. THE STATE UNILATERALLY MAY ORDER IN WRITING THE SUSPENSION, DELAY OR INTERRUPTION OF PERFORMANCE HEREUNDER. THE STATE RESERVES THE RIGHT TO TEST ANY MATERIALS, EQUIPMENT, SUPPLIES, OR SERVICES DELIVERED TO DETERMINE IF THE SPECIFICATIONS HAVE BEEN MET. THE MATERIALS LISTED IN THE BID OR PROPOSAL SHALL BE DELIVERED FOB THE POINT OR POINTS SPECIFIED PRIOR TO OR ON THE DATE SPECIFIED IN THE BID OR PROPOSAL. ANY MATERIAL THAT IS DEFECTIVE OR FAILS TO MEET THE TERMS OF THE SOLICITATION SPECIFICATIONS SHALL BE REJECTED. REJECTED MATERIALS SHALL BE PROMPTLY REPLACED. IF THE VENDOR REFUSES TO REPLACE REJECTED MATERIALS, THE STATE RESERVES THE RIGHT TO PURCHASE REPLACEMENT MATERIALS IN THE OPEN MARKET AND THE VENDOR SHALL BE LIABLE FOR ANY EXCESS PRICE PAID FOR THE REPLACEMENT, PLUS APPLICABLE EXPENSES, IF

PURCHASES BY OTHER ENTITIES - INDEFINITE QUANTITY CONTRACTS: THIS PROVISION APPLIES TO INDEFINITE QUANTITY CONTRACTS.

ELECTRONIC TRANSACTION FEE:

A.CONTRACTOR SHALL PAY AN ELECTRONIC TRANSACTION FEE TO THE

BPO NO: 001B7400274

PRINT DATE: 01/06/17

PAGE: 03

TERMS (cont'd):

STATE IN THE AMOUNT OF ONE PERCENT (1%) OF THE TOTAL CONTRACT SALES. THE ELECTRONIC TRANSACTION FEE IS CALCULATED BASED ON ALL SALES TRANSACTED UNDER THE CONTRACT, MINUS ANY RETURNS OR CREDITS. THE ELECTRONIC TRANSACTION FEE SHALL NOT BE CHARGED DIRECTLY TO THE CUSTOMER, E.G., AS A SEPARATE LINE ITEM, FEE OR SURCHARGE, BUT SHALL BE INCLUDED IN THE CONTRACT'S UNIT PRICES.

- THE ELECTRONIC TRANSACTION FEE SHALL BE SUBMITTED TO THE DEPARTMENT OF GENERAL SERVICES, FISCAL SERVICES DIVISION, 301 W. PRESTON STREET, ROOM 1309, BALTIMORE, MD, 21201, WITHIN TEN (10) CALENDAR DAYS FOLLOWING THE END OF EACH CALENDAR MONTH ALONG WITH A MONTHLY USAGE REPORT DOCUMENTING ALL CONTRACT SALES. AN EXCEL VERSION OF THE MONTHLY USAGE REPORT SHALL BE EMAILED TO THE PROGRAM MANAGER, LISA MCDONALD AT LISA.MCDONALD@MARYLAND.GOV, AND TO EBONY SALAKO AT AWAWU.SALAKO@MARYLAND.GOV.
- C. FAILURE TO REMIT TRANSACTION FEES IN A TIMELY MANNER OR REMITTANCE OF FEES INCONSISTENT WITH THE CONTRACT'S REQUIREMENTS MAY RESULT IN THE STATE EXERCISING ALL RECOURSE AVAILABLE UNDER THE CONTRACT INCLUDING, BUT NOT LIMITED TO, A THIRD PARTY AUDIT OF ALL CONTRACT ACTIVITY.

 SHOULD AN AUDIT BE REQUIRED BY THE STATE, THE CONTRACTOR SHALL REIMBURSE THE STATE FOR ALL COSTS ASSOCIATED WITH THE AUDIT UP TO \$10,000.00 OR ONE (1%) PERCENT OF THE CONTRACT'S ESTIMATED ANNUAL VALUE, WHICHEVER IS HIGHER.

 D. PRIOR TO AWARD, CONTRACTORS WILL BE ASKED TO CONFIRM IN WRITING THAT THEIR UNIT PRICES INCLUDE THE ONE PERCENT (1%) ELECTRONIC TRANSACTION FEE.

EMM CATALOG:

THE CONTRACT AWARDEE IS REQUIRED TO REGISTER AS A VENDOR IN THE EMARYLAND MARKETPLACE ECATALOG DIRECTORY (ONLINE SHOPPING ENVIRONMENT). IT OFFERS A VIRTUAL SHOP FRONT FOR YOUR GOODS AND SERVICES TO BE PURCHASED WITH EASE ACROSS THE STATE THROUGH THE SYSTEM. PLEASE CONTACT CATHY MARZOLA AT (410) 767-1492 REGARDING INFORMATION AND INSTRUCTIONS ON JOINING THE EMM ECATALOG. YOU MUST COORDINATE THE UPLOAD OF YOUR PRODUCT CATALOG TO ENSURE MAXIMUM USE OF YOUR PRODUCTS AND SERVICES PER CONTRACT TERMS.

PAYMENTS TO THE CONTRACTOR PURSUANT TO THIS CONTRACT SHALL BE MADE NO LATER THAN 30 DAYS AFTER THE STATE'S RECEIPT OF A PROPER INVOICE FROM THE CONTRACTOR. CHARGES FOR LATE PAYMENT OF INVOICES, OTHER THAN AS PRESCRIBED BY TITLE 15, SUBTITLE 1, OF THE STATE FINANCE AND PROCUREMENT ARTICLE, ANNOTATED CODE OF MARYLAND, OR BY THE PUBLIC SERVICE COMMISSION OF MARYLAND WITH RESPECT TO REGULATED PUBLIC UTILITIES, AS APPLICABLE, ARE PROHIBITED.

******* STATE OF MARYLAND ***********

BPO NO: 001B7400274

PRINT DATE: 01/06/17

PAGE: 04

TERMS (cont'd):

ELECTRONIC FUNDS TRANSFER: THIS PROVISION ON ELECTRONIC FUNDS TRANSFER APPLIES TO CONTRACTS OF OVER \$200,000 FOR WHICH PAYMENTS ARE MADE THROUGH THE STATE COMPTROLLER ELECTRONIC FUNDS TRANSFER WILL BE USED BY THE STATE TO PAY CONTRACTOR FOR THIS CONTRACT AND ANY OTHER STATE PAYMENTS DUE CONTRACTOR UNLESS THE STATE COMPTROLLER'S OFFICE GRANTS CONTRACTOR AN EXEMPTION.

INVOICES:

FOLLOWING DELIVERY AND ACCEPTANCE OF ANY MATERIALS, EQUIPMENT, SUPPLIES OR SERVICES (COMPANY NAME) SHALL SUBMIT AN ORGINAL INVOICE TO THE AGENCY FOR PAYMENT.

VENDOR MUST INCLUDE THE 9-DIGIT ZIP CODE OF COMPANY ADDRESS ON ALL INVOICES. FAILURE TO DO SO MAY RESULT IN DELAY OF PAYMENT.

BPO/PO AS CONTRACT:

THIS PROVISION APPLIES TO ALL PROCUREMENT CONTRACTS PROCURED BY THE DEPARTMENT OF GENERAL SERVICES EXCEPT CONTRACTS FOR THE PROCUREMENT OF ARCHITECTURAL AND ENGINEERING SERVICES FOR A PRICE OF GREATER THAN \$200,000.

THE BIDDER'S EXECUTION AND SUBMISSION OF A RESPONSIVE BID CONSTITUTES A PROMISE BY THE BIDDER TO PERFORM THE CONTRACT SOLICITED BY THE DEPARTMENT IN ACCORDANCE WITH THE TERMS AND CONDITIONS STATED IN THE SOLICITATION. THE BID SHALL BE IRREVOCABLE FOR THE PERIOD STATED IN THE SOLICITATION OR FOR SUCH LONGER PERIOD AS THE BIDDER AND THE DEPARTMENT MAY AGREE.

UPON ACCEPTANCE OF A BID, THE PROCUREMENT OFFICER MAY ISSUE A BLANKET PURCHASE ORDER (BPO), IN A FORM TO BE DETERMINED BY THE DEPARTMENT, TO THE BIDDER ACCEPTING THE BID AND BINDING THE BIDDER TO A CONTRACT. THE EXECUTION AND ISSUANCE OF A BPO BY THE PROCUREMENT OFFICER, SUBJECT TO ALL NECESSARY APPROVALS, SHALL CONSTITUTE ACCEPTANCE OF THE BID AND FINAL AWARD OF THE CONTRACT. THE CONTRACT OF THE PARTIES WILL BE EMBODIED IN THE CONTRACT DOCUMENTS, WHICH SHALL CONSIST OF THE EXECUTED BPO OF THE PROCUREMENT OFFICER, INCLUDING ALL DOCUMENTS, TERMS, AND CONDITIONS INCORPORATED INTO THOSE DOCUMENTS BY THE TERMS OF THE SOLICITATION, THE BPO, THE BID, OR BY OPERATION OF LAW, AND THE EXECUTED BID OF THE BIDDER. IF THE PROCUREMENT OFFICER ISSUES A BPO, AT THE OPTION OF THE PROCUREMENT OFFICER IT WILL NOT BE NECESSARY FOR THE BIDDER TO EXECUTE THE BPO OR ANY OTHER FORM OF CONTRACT OR AGREEMENT. THE PROCUREMENT OFFICER MAY REQUIRE THAT THE PARTIES BOTH EXECUTE A SINGLE DOCUMENT

******** STATE OF MARYLAND ***********

BPO NO: 001B7400274

PRINT DATE: 01/06/17

PAGE: 05

TERMS (cont'd):

AS THE EMBODIMENT OF THE CONTRACT BETWEEN THE PARTIES.

THE DEPARTMENT OF GENERAL SERVICES "TERMS AND CONDITIONS" FOR COMMODITY CONTRACTS OVER \$25,000" AND ALL SPECIFICATONS, TERMS AND CONDITIONS OF SOLICITATION #001IT820427/MDDGS31029657 HEREIN BY REFERENCE.

LINE #	STATE ITEM ID	U/M	UNIT COST	
0001	E (O E 7			

0001 56057

LT

TRACTORS, WAREHOUSE

KUBOTA UTILITY VEHICLE: RTV 400-RTV500 SERIES STANDARD UNITS, 15% DISCOUNT OFF MSRP.

KUBOTA UTILITY VEHICLE: RTVX 900-RTVS1100 STANDARD UNITS, 22% DISCOUNT OFF MSRP.

KUBOTA UTILITY VEHICLE: RTVX 1120-RTVX1140 STANDARD UNITS, 22% DISCOUNT OFF MSRP.


KUBOTA UTILITY VEHICLE: RTV & RTVX SERIES ACCESSORIESS, 6% OFF MSRP. (INCLUDING BLADES, CANOPIES, CABS, WINDHSIELD, MIRRORS, WINCHES, ETC...

MADINDRA UTILITY VEHICLES: XTV 750B STANDARD UNITS, 3% DISCOUNT OFF MSRP.

MADINDRA UTILITY VEHICLES: XTV 750C. XTV 750L, XTV 750S, XTV 1000C, XTV 1000L, XTV 1100S STANDARD UNITS, 3% DISCOUNT OFF MSRP. MADINDRA: XTV ACCESSORIES, 5% DISCOUNT OFF (INCLUDING BLADES,

BLANKET PURCHASE ORDER

STATE OF MARYLAND								
BPO NO:	**************************************	DIMIL OF MA.	RYLAND ******* DATE: 01/06/17	******** PAGE: 06				
LINE #	STATE ITEM ID	_U/M	UNIT COST					
CANOPIES	, CABS, WINDSHIELDS,	MIRRORS, WII	NCHES, ETC					
		END OF I	TEM LIST					
	***	**** LAST PA	GE ******					







Get ready for a whole new RTV experience.

Kubota RTVs have been the best-selling diesel utility vehicles in North America since 2004.* And no wonder. Each year, they set the standard for ruggedness and reliability, proving themselves ready to work day after day under all kinds of conditions.

Well, the best just got a whole lot better. Meet the all-new Kubota RTV X-Series, three rough-and-ready RTV's that raise the bar on comfort, convenience, and performance.


It's a whole new driving experience, too, with a smoother ride, better driveability, more legroom, and improved ergonomics throughout.

Ready for an RTV experience you won't soon forget?
Visit your Kubota dealer today and experience for yourself the all-new RTV X-Series.

*Power Products Marketing North American Utility Vehicle Market Reports

KUBOTA 4WD DIESEL UTILITY VEHICLE

RTVX-Series



When there's work to be done on the far side of nowhere, you need a vehicle that can get you there quickly, get the job done efficiently, and get you back comfortably.

Introducing the all-new RTV X-Series from Kubota.

Three rugged and reliable utility vehicles with more of the things that you need to get the job done right.


RTV-X1120D

A step up in power, comfort, convenience, and style, the all-new RTV-X1120D has everything you need to get the job done, including a rugged and dependable 24.8 HP diesel engine and handsome blue-tinted halogen headlights.

RTV-X1100C

The first RTV to offer a factory-installed unibody A/C cab, the RTV-X1100C is still the industry leader in work comfort. The fully enclosed cab features air conditioning, defroster, and heating systems to keep you comfortable in all types of weather for all types of jobs.







VHT-X (Variable Hydraulic Transmission)

Kubota has more experience in variable hydraulic transmissions than any other Utility Vehicle manufacturer. Kubota's advanced VHT-X offers a wide torque band and large oil coolers that boost performance and durability.



Two-speed In-line Shift

You'll shift less often and maintain better control, thanks to new transmission gearing with just two forward speeds (high and low), plus neutral, and reverse.



Strong High-rigidity Frame

The high-rigidity steel frame isolates the occupants from noise, vibrations, and harshness. With structural strength that few in the industry can match, this durable frame can take years of punishment from

20% Larger, Clogresistant Radiator

heavy loads and rough terrain.

Open the hood, and you'll find the radiator and air-intake located high and up front, where the air is cleaner and cooler. This improves both radiator performance and simplifies maintenance. Kubota's wide fin pitch design minimizes clogging, further improving radiator performance.





Get in and buckle up. You're about to experience a whole new level of driving performance. **Front & Rear CV** Joint

Independent Suspension



Regardless of the terrain or load, independent suspension on all four wheels ensures a truly exceptional ride. Kubota's Extra Duty IRS (Independent Rear Suspension) technology also sets a new standard for durability.





Height-adjustable Front and Rear Suspension

Whether you've got a heavy load or no load at all, adjustment of the front and rear suspension height will ensure the proper vehicle height for a smooth ride and optimum driveability for hard to get to work environments.

High Ground Clearance

The new X-series raises the bar on ground clearance-to a full 10.4" with 8" of suspension travel-letting you glide over the bumps rather than through them.

Limited-Slip Front Differential

True 4-wheel drive with a limited-slip front differential and a locking rear differential help reduce wheelspin to a minimum, giving you greater control and a smoother ride on rough or muddy terrain.

Protectors and **Skid Plates**


Obstacles on the path? CV joint protectors and heavyduty skid plates will protect the most critical parts of the engine and transmission.



Dynamic Braking

You'll feel more secure, especially when traveling down long inclines, knowing that dynamic braking is providing additional braking power and greater driving control.







60:40 Split-bench Seats

The split-bench style seat is ergonomically designed to provide hours of working comfort. The driver's side is adjustable fore and aft.*

*Driver's side seat adjuster is not available on RTV-X900 General Purpose models.



Easily accessible Parking Brake

The parking brake is conveniently located on the dashboard for easier access as well as more legroom.



Power Steering

Responsive hydrostatic power steering gives you the control you need to tame any terrain. The steering wheel is tilt-adjustable, allowing you to set the optimum angle for your driving style.*

*Tilt-feature is not available on RTV-X900 General Purpose models.



Glove Box*

A large glove box on the passenger side provides fast access to critical tools and personal effects.

*Glove box is not available on RTV-X1100C models.

*Glove box cover is optional on RTV-X900 General Purpose models.



Digital Meter Cluster

Bright, with large, easy-to-read indicators, this digital meter cluster keeps you informed of all critical driving conditions, including speed, hours, and miles traveled. An Overheat Alarm (light and audio) helps prevent engine damage.





Under-seat Storage Compartments

Large compartments under the split-bench seats provide plenty of convenient storage space for tools, tie-downs, and personal items.





and back let you tow up to 1,300 lbs. of gear.



Here's the one you've been waiting for. The one with more of everything.

More power, more convenience, more comfort, more style. We call it the RTV-X1120D. You'll call it amazing.

More Powerful Engine

For jobs that require extra acceleration and climbing power, the RTV-X1120D is the obvious choice. It packs Kubota's proven 24.8 HP diesel engine, which provides a top speed of 29 mph and plenty of hill-climbing power.




Sculpted, Blue-tinted Headlights

Bright and far-reaching halogen headlights with adjustable optical axis provide plenty of

light for driving in dim-light conditions. Sculpted and tinted blue, these handsome lights add a touch of class to the RTV-X1120D's distinctive styling.





RTV-X1120D

Three-point Seatbelts

With the RTV-X1120D's increased speed comes increased dynamic loads; so you and your passenger are strapped in with three-point seatbelts.

Half Door

Half doors on the driver and passenger sides help keep out the dirt, brush, and other external objects, while letting you enter and exit with ease.




New Alloy Wheels

You'll travel in style with these good-looking, machine-polished alloy wheels.* Clear Coating

helps keep them bright and shiny.

*Realtree AP Camo model features black alloy wheels with polished outer surfaces.






MFORT CAB RTV-X1100C

Air Conditioner and Heater

Hot or cold, rain or shine, the temperature inside can always be just right for you. The air conditioner, defroster, and heater system are powerful, efficient, and standard equipment on the RTV-X1100C.





Unibody Cab and Chassis Frame

You'll enjoy a smoother, quieter, more comfortable ride, thanks to the RTV-X1100C's integrated unibody cab and chassis frame. They form a rigid yet lightweight unit that is rugged, airtight, lownoise, and rattle-free. Even more impressive, the



SPECIFICATIONS

Model			RTV-X900 General Purpose RTV-X900 Worksite			RTV-		
Body color				Kubota Orange	Kubota Orange	Realtree® AP Camo	Kubota Orange	
	Make				KUBOTA D902-E4-UV	•		
	Туре				3-cylinders, 4-cycle, diesel, OF	IV		
Engine	Displacement		cu.in (cc)		54.8 (898)	Ass. Hilliams and the second		
	Horsepower		HP (kW)/rpm		21.6 (16.1)@3200			
	Cooling system			Liquid				
	Battery			540 CCA				
Transmission						100 000 000 000	Variable hydro transmission (VHT-X)	
Gear selection							Hi-Lo range forward, neutral, reverse	
Max. traveling speed			mph (km/h)		0-25 (0-40)		0-2	
	Front differential				220 (0.10)		Limited-slip differential	
4WD system	Rear differential						Foot operated differential lock	
Steering	Treat diligrential						Hydrostatic power	
Brakes	Front / Rear							
Brakes	Parking brake						Wet-disc brakes	
				Rear wheel, hand operated				
	Front suspension		7. 7. 1			Indep	endent. Dual A-arms with adjustable sprin	
Suspension	Front suspension travel in. (mm)						8 (205)	
	Rear suspension						Independent with coil over shock	
	Rear suspension to	ravel	in. (mm)				8 (205)	
	Front		in. (mm)				10.5 (266)	
Ground clearance	Rear		in. (mm)			The same of the sa	10.4 (263)	
	Under foot platforn	n	in. (mm)				11.0 (280)	
Headlights					Two 37.5 watt halogen		Two 37.5 watt blue-tint halogen	
Occupant Protective	Tubular overhead :	structure	in. (mm)				2.0 (50.8) steel tube	
System (OPS)	Seat belts				2-point			
-,,	Certification			SAE J2194 and OSHA 1928 ROPS			SAE J2194 and OSHA 1928	
	Length		in. (mm)	120.3 (3055)			122.5	
	Width		in. (mm)		63.2 (1605)			
	Height, overall		in. (mm)	79.5 (2020)				
Dimensions	Front tread centers	i	in. (mm)	79.5 (2020)				
	Rear tread centers		in. (mm)				48.8 (1240)	
	Wheelbase		in. (mm)	THE PARTY OF THE P			80.5 (2045)	
	Turning radius		ft. (m)				13.1 (4.0)	
Weight	Ibs. (kg)		1907 (865)		973 (895)	13.1 (4.0)		
Towing capacity			lbs. (kg)	1507 (003)		373 (633)		
Payload capacity				1664 (755)		1598 (725)	1300 (590)	
	Material		lbs. (kg)	1004 (733)		1396 (723)	1510	
Cargo bed							Steel	
	Width x Length x Depth in. (mm)					57.7 (1465) × 40.5 (1030) × 11.2 (285)		
	Volume cu, ft. (m						15.2 (0.43)	
	Bed height (unloaded) in. (mm)						34.9 (887)	
	Cargo bed load lbs. (kg)		lbs. (kg)				1102 (500)	
	Dumping system			Manual			Hydro	
Fuel tank capacity			U.S. gals (/)				7.9 (30)	
Sound rating at operat	or's ear at max rpm		dB. (A)		85			
Tires	Front and rear	ATV					25×10-12, 6-ply	
		HDWS				(K	25×10-12, 6-ply	
		TURF		25×10-12	. 4-ply	_	_	
ront guard design				Simple, center only		er and bumper		
Illoy wheel (not availa	ble with Turf tire)				Opt,			
Hydraulic bed lift				Opt.				
pray-on bed liner								

1120D	RTV-X1100C
Realtree* AP Camo	Kubota Orange Realtree* AP Camo
	TA D1105-E4-UV
3-cylinders	4-cycle, diesel, OHV
	88.5 (1123)
24.	(18.5) @ 3000
	Liquid
	650 CCA
(0-46.4)	0-25 (0-40)
reload	
otical axis adjustment	Two 37.5 watt halogen
pint	2-point
OPS and ANSI B71.9	SAE J2194 and OSHA 1928 ROPS
3110)	
	65.4 (1660)
	82.3 (2090)
25	
35)	2370 (1075)
051	
85)	1629 (739)
wer lift	
wer iiit	
	83
	25×10-12, 4-ply
Center, b	umper and lens
	Opt.
d. d. ot.	Opt.

ACCESSORIES & ATTACHMENTS

Please visit your local dealer or www.kubota.com for details

Modular "Build Your Own" Cab **Enclosure System**

Step 1: Pick a Canopy

- Canopy- Metal FOPS (Black or Orange)
 Canopy- Plastic (Black)

Step 2: Pick a windshield

- · Windshield- Tempered Glass
- · Windshield- Laminated Glass
- · Windshield- Hard-coated Polycarb

Step 3: Pick door type

- · Doors- Metal (Black or Orange)
- · Doors- Vinyl with Metal frame (Black)

Step 4: Add Rear Panel to complete enclosure

· Rear Panel- Metal (Black)

Step 5: Add accessories to customize your Cab Enclosure

- · Mirrors- External Deluxe
- · Cab Heater
- · Interior Dome Light
- · LED Worklights- Front and/or Rear
- · Strobe Light
- · Dash Panel Switch/Harness Panel

Stand-alone Canopies & Windshields, ROPS Accessories

- · Windshield- Acrylic (Clear or Tinted)
- Windshield- Uncoated Polycarb (Clear or Tinted)
- · Plastic Canopy- Black
- · Halogen Worklights- Front and/or Rear
- · Mirror for ROPS RTVs
- · ROPS Organizer

Front Attachments, **Rear Sprayers and Spreaders**

(may require additional components)

- · General Duty Front 72" Straight Blade
- · Commercial HD Front 72" Straight & V-Blades
- · Commercial HD 60" Rotary Broom
- · Front Hydraulic Quick Hitch
- · Deluxe Hydraulic Controls & Valve Kits
- · 68 Gallon Sprayer System
- · 10 cubic foot Cargo Box Salt/Sand Spreader
- · 3 cubic foot Rear Mount Spreaders

Exterior, Mechanical & Electrical Accessories

- · Alloy Wheels & Tires
- 4,000 lbs Winch Kit
 RAC "Rapid Access Cargo" System
- · 2" Trailer Hitch Ball Mount Kit
- · Vehicle Storage Cover
- · Plastic Cargo Bedliner
- Tail Lamp Guard Kit
 Splash Guard Kits
- · CV Joint Guards- front or rear
- · Turn Signal/Hazard Light Kit
- · Backup Alarm Kit
- Front HD Spring & Damper Kits
 Engine Block Heater Kit
- · Engine Hand Throttle Kits

"Realtree" is a registered trademark of Jordan Outdoor Enterprises, Ltd.
The company reserves the right to change the above specifications without notice.
This brochure is for descriptive purposes only. Please contact your local Kubota dealer for warranty and safety information.
The values in "Ground clearance" and "Weight" are those of the machine equipped with the tires in the table above.
Some RTVs in this brochure are shown with optional accessories, For off-highway use only.

ACCESSORIES & ATTACHMENTS



■ Metal FOPS Canopy (RTV-X900 & RTV-X1120D only) VC5000



■ Plastic Canopy (RTV-X900 & RTV-X1120D only – Shown with VC5056 LED Strobe Light) VC5011



■ Roof and Windshield
(RTV-X900 & RTV-X1120D only – Not compatible
with "VC" canopies/windshields)
V5221 — Plastic Canopy
V5259 — Uncoated Polycarb Windshield



■ Hardened Acrylic Windshields (RTV-X900 & RTV-X1120D only – Compatible with all "VC" canopies)

V5027 - Clear Acrylic Windshield V5028 - Tinted Acrylic Windshield



■ Laminated Windshield (RTV-X900 & RTV-X1120D only) VC5020



■ Tempered Glass Windshield (RTV-X900 only) VC5025



■ Poly Windshied (RTV-X900 & RTV-X1120D only) VC5023



■ Metal Doors with sliding windows (RTV-X900 & RTV-X1120D only)
VC5090 — Black
VC5091 — Orange




■ Kubota Vinyl Door (RTV-X900 & RTV-X1120D only) VC5095



■ Rear Panel (RTV-X900 & RTV-X1120D only – Shown with optional rear worklights and flashers) VC5040



■ RTV Mirror Kit (RTV-X900 & RTV-X1120D only) VC5076




■ Rear View Mirror (RTV-X900 & RTV-X1120D only) VC5070



■ Dome Light (RTV-X900 & RTV-X1120D only) VC5053




■ Wiper (RTV-X900 & RTV-X1120D only) VC5030



■ LED Front Worklights (x2) (RTV-X900 & RTV-X1120D only) VC5050



■ Rear Work Light (RTV-X900 & RTV-X1120D only) VC5051



■ Strobe Light VC5056 – RTV-X900 & RTV-X1120D VC5058 – RTV-X1100C



■ RTV Mirror Kit (RTV-X1100C only) V5059 - Cab



■ 72" General Duty Straight Blade with Quick Hitch V5008



■ Commercial 72" Hydraulic Straight Blade V5290



■ Commercial 72" V-Blade V5291



■ 60" Hydraulic Rotary Broom V5260




■ Front Hydraulic Quick Hitch V5289



■ Hydraulic Control & Valve System V5232 – 2-function Control & Valve V5233 – 3-function Hydraulic Valve Upgrade Kit (not shown)

ACCESSORIES & ATTACHMENTS




Curb Guard



■ Front Guard Adapter Kit




■ Dust Suppression System for Rotary Broom (requires V5292 68 Gallon tank) V4496



■ 68 Gallon Tank and with Hose Reel & Spray Wand V5292



■ Cargo Box Spreader (RTV-X900 & RTV-X1100C only) V5005



■ Material Control Tube for V5005 V4407



■ Winch Kit (4,000lbs capacity) V5244




■ Trailer Hitch Ball Mount Kit V5200



■ Vehicle Storage Cover V4382



■ Plastic Cargo Bedliner V5229



■ Tail Lamp Guard V5227



■ Turn Signal/Hazard Light Kit V5237



■ RAC "Rapid Access Cargo" System* (RTV-X900 & RTV-X1100C only) V5012 - Full RAC Frame System



■ RAC "Rapid Access Cargo" System* (RTV-X900 & RTV-X1100C only) V5015 - Extender Basket



■ RAC "Rapid Access Cargo" System* (RTV-X900 & RTV-X1100C only) V5016 - Half Clip Basket





Halogen Worklights (RTV-X1100C only)

V5236

V5282 - Front Lights V5283 - Rear Lights

■ Splash Guard Kit V5225 - Front Wheels V5226 - Rear Wheels CV Joint Guards V5238 - Front V5239 - Rear

■ Backup Alarm Kit

Front Heavy Duty Spring & Damper Kits (RTV-X900 & RTV-X1120D only) V5218 – Front HD Springs (x2) V5219 – Front HD Springs & Struts (x2)

■ Engine Hand Throttle Kit V5241 – RTV-X900 V5243 – RTV-X1120D & RTV-X1100C



■ RAC "Rapid Access Cargo" System* (RTV-X900 & RTV-X1100C only) V5017 - Full Clip Basket



■ RAC "Rapid Access Cargo" System* (RTV-X900 & RTV-X1100C only) V4418 - Long Handle Tool Carrier



RAC "Rapid Access Cargo" System* (RTV-X900 & RTV-X1100C only) V4419 - String Trimmer Holder




RAC "Rapid Access Cargo" System* (RTV-X900 & RTV-X1100C only) V4421 - Backpack Blower Holder



■ RAC "Rapid Access Cargo" System* (RTV-X900 & RTV-X1100C only) V4422 - Cooler/Bucket Cruiser



■ Alloy Wheels and Tires (Standard on RTV-X1120D models) V5203 – Black wheels V5205 – Silver wheels




|\(\)



• Smooth, quiet 15.8HP Gasoline Engine Exclusive Variable Hydro Transmission ···(VHT Plus) • Standard 4-Wheel Drive



Featuring a robust, heavy-duty platform, electronic fuel injection (EFI) and an advanced Continuously Variable Transmission with inertial clutch (CVT Plus) for excellent response and reliability, the new 4WD RTV400Ci will be at your ready, whether you're canvassing your property or jobsite, caring for livestock, or hunting in the woods.




16HP Air-cooled EFI Gasoline Engine

The RTV400Ci incorporates a new, high-revving 16HP air-cooled, single-cylinder gasoline engine that was developed to meet Kubota's stringent performance specifications and durability requirements. This engine also features an Electronic Fuel Injection (EFI) system that helps eliminate cold starting issues and annoying manual choke adjustments that plague competitors' carbureted utility vehicles.

CVT Plus

(Continuously Variable Transmission with Inertial Clutch)

The RTV400Ci's newly designed CVT Plus is virtually worry free. The exclusive inertial clutch keeps the thick, double cogged-belts tight for minimal slippage, resulting in greater response and much better durability than the competitors' belt-drive systems. As an additional plus, the inertial clutch provides noticeable dynamic braking to help maintain control during descents with engineassisted deceleration. And for more plus, CVT Plus has a full protection cover to minimize mud or dust intrusion, enhancing durability and enabling a longer belt life.





KUBOTA

Standard Rollover Protective Structure (ROPS)

Robust, reliable semiindependent rear suspension



4-wheel disc brakes



Comfortable Operator Area

Get in and get going. The RTV400Ci features ergonomic, well-placed controls for easy operation, and a comfortable contoured bench seat, so both the driver and passenger can enjoy a full day of work or play. The low operator platform offers ample and obstacle-free leg room, so it's simple to step on or off.

Designed for Convenient Transportation

Kubota specifically designed the RTV400Ci's compact frame to make it easy to load into the bed of a fullsize long bed pickup truck*. It's ideal for camping, hunting, or any rugged outdoor adventure.



72 inches

54.7 inches

* Always secure RTV with proper tie-downs, especially with open tailgate.




RIJOO I

The RTV500—advanced technology from Kubota delivers exceptional performance and reliability in a compact size.

Whether you're tending a park, hunting in the woods, or simply roaming your property, let Kubota's RTV500 take you wherever you need to go. This quiet utility vehicle features Kubota's durable liquid-cooled EFI gasoline engine, variable hydrostatic transmission, and more—all packed into a compact body. Used for a variety of applications, it's powerful and rugged enough to handle uneven terrain, yet it can fit into the bed of a full-size pickup truck, so you can take it with you. With all of this and more, you can rest assured that the high-performance RTV500 is always at the ready, no matter where you want to go.

Kubota Liquid-cooled EFI Gasoline Engine

The RTV500's smooth 15.8-horsepower, 2-cylinder Kubota gasoline engine is liquid-cooled to ensure reliability and minimize noise and vibration, reducing operator fatigue and increasing efficiency. The engine features an Electronic Fuel Injection (EFI) system that provides on-demand power, optimizes acceleration and enhances quiet operability. Plus, the EFI eliminates the need to adjust the carburetor—enabling better engine start-up in cold weather or after long-term storage, and improving engine serviceability.



VHT Plus

(Variable Hydro Transmission)

Kubota's exclusive and innovative hydrostatic transmission provides the RTV500 with an exceptional level of performance, handling, and reliability under tough conditions. Approach long downhill grades with confidence utilizing the VHT Plus' smooth, engineassisted deceleration. In addition, the VHT offers

outstanding traction and impressive power, providing the muscle to take you almost anywhere.





(ROPS)





Comfortable Operator Area

Get in and get going. The RTV500 features ergonomic, well-placed controls for easy operation, and a comfortable contoured bench seat, so both the driver and passenger can enjoy a full day of work or play. The low operator platform offers ample and obstacle-free leg room, so it's simple to step on or off.

Designed for Convenient Transportation

Kubota specifically designed the RTV500's compact frame to make it easy to load into the bed of a full-size long bed pickup truck*. It's ideal for camping, hunting, or any rugged outdoor adventure.





54.7 inches

*Always secure RTV with proper tie-downs, especially with open tailgate.



KUBOTA UTILITY VEHICLE

RTV500

-	-			
50	ecn	ica	ЦΟ	ns


Model Nam	ne		RTV400Ci	RTV500		
Engine	Туре		1-cylinder, Gas, OHC, Air-cooled, EFI	2-cylinder, Gas, OHC, Water-cooled, EFI		
	Displacement	cu, in. (cc)	24.6 (404)	27.8 (456)		
		HP (kW)/rpm	16.0 (11.9) / 4800	15.8 (11.8) / 3600		
Fuel tank ca	apacity	U.S. gals (/)	5.2	(20)		
Transmissio	on		CVT PLUS Continuously Variable Transmission (CVT) with Inertial Clutch	VHT PLUS Variable Hydro Transmission		
Max. traveli	ng speed	mph (km/h)	25 (40)			
Wheels, dri	ve system	Control of the Contro	4, 4WD w/2V	VD selection		
Differential	lock		Standard; hand operated with mechanical holder			
Gear select	ion		Hi-Lo range forward, neutral, reverse			
Brakes	Front / Rear		Dry-disc brakes			
Diakes	Parking brake		Rear wheel, hand lever			
Steering			Rack &	Pinion		
Suspension	Front / Rear		Independent, Mac-Pherson strut-ty	/pe / Semi-independent, multi-link		
	Length	in. (mm)	105.9 (2690)			
	Width	in. (mm)	54.7 (1390)			
	Height, overall	in. (mm)	72 (1829)			
Dimensions	Front tread centers	in. (mm)	40 (1016)			
Differsions	Rear tread centers	in. (mm)	41 (1041)			
	Wheelbase	in. (mm)	70.9 (1800)			
	Ground clearance front/rear axle	in. (mm)	8.1 (205) / 6.9 (172)			
	Turning diameter	ft. (m)	22.9 (7)			
Max. rolling weight (towing capacity) lbs. (kg)		lbs. (kg)	1102	500)		
Payload capa	acity	lbs. (kg)	1058 (480)	949 (430)		
Weight		lbs. (kg)	1246 (565) with ATV tires, 1257 (570) with HDWS Tires	1358 (615) with ATV Tires, 1369 (620) with HDWS Tires		
	$Width \times Length \times Depth$	in. (mm)	40.6 (1032) × 33.7	(856) × 11.4 (290)		
Cargo bed	Volume	cu. ft. (m³)	9.0 (0.25)			
	Bed height (unloaded)	in. (mm)	31.9 (810)			
	Cargo bed load	lbs. (kg)	441 (200)			
Tires	Front		24 × 9-12 ATV, 6PLY 24 × 9-12 HDWS, 6PLY			
	Rear		24 × 11-12 ATV, 6PLY			
			24×11-12 HDWS, 6PLY			
Body color			Orange, Camouflage (R	ealtree® Hardwoods®)		
Speedometer			Op			
Front guard			Op			
Headrest			Op			




KUBOTA TRACTOR CORPORATION

Visit our web site at: www.kubota.com









Get ready for a whole new RTV experience.

Kubota RTVs have been the best-selling diesel utility vehicles in North America since 2004.* And no wonder. Each year, they set the standard for ruggedness and reliability, proving themselves ready to work day after day under all kinds of conditions.

Well, the best just got a whole lot better. Meet the all-new Kubota RTV X-Series, three rough-and-ready RTV's that raise the bar on comfort, convenience, and performance.


It's a whole new driving experience, too, with a smoother ride, better driveability, more legroom, and improved ergonomics throughout.

Ready for an RTV experience you won't soon forget?
Visit your Kubota dealer today and experience for yourself the all-new RTV X-Series.

*Power Products Marketing North American Utility Vehicle Market Reports

KUBOTA 4WD DIESEL UTILITY VEHICLE

RTVX-Series



When there's work to be done on the far side of nowhere, you need a vehicle that can get you there quickly, get the job done efficiently, and get you back comfortably.

Introducing the all-new RTV X-Series from Kubota.

Three rugged and reliable utility vehicles with more of the things that you need to get the job done right.


RTV-X1120D

A step up in power, comfort, convenience, and style, the all-new RTV-X1120D has everything you need to get the job done, including a rugged and dependable 24.8 HP diesel engine and handsome blue-tinted halogen headlights.

RTV-X1100C

The first RTV to offer a factory-installed unibody A/C cab, the RTV-X1100C is still the industry leader in work comfort. The fully enclosed cab features air conditioning, defroster, and heating systems to keep you comfortable in all types of weather for all types of jobs.







RTV-X900

VHT-X (Variable Hydraulic Transmission)

Kubota has more experience in variable hydraulic transmissions than any other Utility Vehicle manufacturer. Kubota's advanced VHT-X offers a wide torque band and large oil coolers that boost performance and durability.



Two-speed In-line Shift

You'll shift less often and maintain better control, thanks to new transmission gearing with just two forward speeds (high and low), plus neutral, and reverse.



Strong High-rigidity Frame

The high-rigidity steel frame isolates the occupants from noise, vibrations, and harshness. With structural strength that few in the industry can match, this durable frame can take years of punishment from heavy loads and rough terrain.

20% Larger, Clogresistant Radiator

Open the hood, and you'll find the radiator and air-intake located high and up front, where the air is cleaner and cooler. This improves both radiator performance and simplifies maintenance. Kubota's wide fin pitch design minimizes clogging, further improving radiator performance.







Get in and buckle up. You're about to experience a whole new level of driving performance.

Front & Rear Independent Suspension



Regardless of the terrain or load, independent suspension on all four wheels ensures a truly exceptional ride. Kubota's Extra Duty IRS (Independent Rear Suspension) technology also sets a new standard for durability.





Height-adjustable Front and Rear Suspension

Whether you've got a heavy load or no load at all, adjustment of the front and rear suspension height will ensure the proper vehicle height for a smooth ride and optimum driveability for hard to get to work environments.

High Ground Clearance

The new X-series raises the bar on ground clearance—to a full 10.4" with 8" of suspension travel—letting you glide over the bumps rather than through them.

Limited-Slip Front Differential

True 4-wheel drive with a limited-slip front differential and a locking rear differential help reduce wheelspin to a minimum, giving you greater control and a smoother ride on rough or muddy terrain.

CV Joint Protectors and Skid Plates


Obstacles on the path? CV joint protectors and heavy-duty skid plates will protect the most critical parts of the engine and transmission.



Dynamic Braking

You'll feel more secure, especially when traveling down long inclines, knowing that dynamic braking is providing additional braking power and greater driving control.







60:40 Split-bench Seats

The split-bench style seat is ergonomically designed to provide hours of working comfort. The driver's side is adjustable fore and aft.*

*Driver's side seat adjuster is not available on RTV-X900 General Purpose models.



Power Steering

Responsive hydrostatic power steering gives you the control you need to tame any terrain. The steering wheel is tilt-adjustable, allowing you to set the optimum angle for your driving style.*

*Tilt-feature is not available on RTV-X900 General Purpose models.



Digital Meter Cluster

Bright, with large, easy-to-read indicators, this digital meter cluster keeps you informed of all critical driving conditions, including speed, hours, and miles traveled. An Overheat Alarm (light and audio) helps prevent engine damage.



Easily accessible Parking Brake

The parking brake is conveniently located on the dashboard for easier access as well as more legroom.



Glove Box*

A large glove box on the passenger side provides fast access to critical tools and personal effects.

*Glove box is not available on RTV-X1100C models.
*Glove box cover is optional on RTV-X900 General Purpose models.






Under-seat Storage Compartments

Large compartments under the split-bench seats provide plenty of convenient storage space for tools, tie-downs, and personal items.





Standard two-inch hitch receivers at the front and back let you tow up to 1,300 lbs. of gear.



Here's the one you've been waiting for. The one with more of everything.

More power, more convenience, more comfort, more style. We call it the RTV-X1120D. You'll call it amazing.

More Powerful Engine

For jobs that require extra acceleration and climbing power, the RTV-X1120D is the obvious choice. It packs Kubota's proven 24.8 HP diesel engine, which provides a top speed of 29 mph and plenty of hill-climbing power.




Sculpted, Blue-tinted Headlights

Bright and far-reaching halogen headlights with adjustable optical axis provide plenty of

light for driving in dim-light conditions. Sculpted and tinted blue, these handsome lights add a touch of class to the RTV-X1120D's distinctive styling.





RTV-X1120D

Three-point Seatbelts

With the RTV-X1120D's increased speed comes increased dynamic loads; so you and your passenger are strapped in with three-point seatbelts.

Half Door

Half doors on the driver and passenger sides help keep out the dirt, brush, and other external objects, while letting you enter and exit with ease.




New Alloy Wheels

You'll travel in style with these good-looking, machine-polished alloy wheels.* Clear Coating helps keep

them bright and shiny.

*Realtree AP Camo model features black alloy wheels with polished outer surfaces.






MFORT CAB RTV-X1100C

Air Conditioner and Heater


Hot or cold, rain or shine, the temperature inside can always be just right for you. The air conditioner, defroster, and heater system are powerful, efficient, and standard equipment on the RTV-X1100C.





Unibody Cab and Chassis Frame

You'll enjoy a smoother, quieter, more comfortable ride, thanks to the RTV-X1100C's integrated unibody cab and chassis frame. They form a rigid yet lightweight unit that is rugged, airtight, lownoise, and rattle-free. Even more impressive, the



SPECIFICATIONS

Model			RTV-X900 General Purpose	R	RTV-X900 Work	ksite	RTV-
Body color			Kubota Orange	Kubota Orange		Realtree® AP Camo	Kubota Orange
	Make			KUBOTA D902-E4-UV	-		
	Туре			3-cylinders, 4-cycle, diesel,	OHV		
Engine	Displacement	cu.in (c)	54.8 (898)			
	Horsepower	HP (kW)	rpm	21.6 (16.1)@3200			
	Cooling system			Liquid			
	Battery			540 CCA	7.46.1		
Transmission							Variable hydro transmission (VHT-X)
Gear selection							Hi-Lo range forward, neutral, reverse
Max. traveling speed		mph (kn	/h)	0-25 (0-40)			0-29
4WD system	Front differential						Limited-slip differential
4VVD System	Rear differential			***************************************			Foot operated differential lock
Steering							Hydrostatic power
Brakes	Front / Rear						Wet-disc brakes
Parking brake							Rear wheel, hand operated
	Front suspension						endent. Dual A-arms with adjustable spring
	Front suspension	travel in. (mm)					8 (205)
Suspension	Rear suspension						Independent with coil over shock
	Rear suspension t	ravel in, (mm)					8 (205)
	Front	in, (mm)					10.5 (266)
Ground clearance	Rear	in. (mm)					10.4 (263)
	Under foot platform						11.0 (280)
Headlights				Two 37.5 watt halogen			
	Tubular overhead	structure in. (mm)		1 Wo 37.5 Watt Halogen	<u> </u>		Two 37.5 watt blue-tint halogen 2.0 (50.8) steel tube
Occupant Protective	Seat belts			2-point			
System (OPS)	Certification			200400000			3-
	Length in. (mm)		120.3 (3055)	SAE J2194 and OSHA 1928 ROPS			SAE J2194 and OSHA 1928
	Width in, (mm)		120.5 (5055)			63.2 (1605)	122.5
	Height, overall			79.5 (2020)			
Dimensions	Height, overall in. (mm) Front tread centers in. (mm)					79.5 (2020)	48.8 (1240)
	Rear tread centers in. (mm)						
	Wheelbase in. (mm)			a la			48.8 (1240)
	Turning radius						80.5 (2045)
Weight	Turning radius ft. (m)		1907 (865)		1973 (895)		13.1 (4.0)
Towing capacity		lbs. (kg)	1907 (865)	1	1973 (895)		2061
Payload capacity			1664 (755)	1	1598 (725)		1300 (590)
Cargo bed	Material	lbs. (kg)	1004 (753)	1	1596 (725)		1510
Dargo Deu	Width × Length × D	South in forms					Steel
	Volume	Depth in. (mm) cu. ft. (m	h				57.7 (1465) × 40.5 (1030) × 11.2 (285)
			/				15.2 (0.43)
	Bed height (unload Cargo bed load						34.9 (887)
		lbs. (kg)					1102 (500)
Dumping system		Manual				Hydro	
Fuel tank capacity U.S. gals (/) Sound rating at operator's ear at max rpm dB. (A)		(1)				7.9 (30)	
		dB. (A)		85			
Tires	Front and rear	ATV					25×10-12, 6-ply
		HDWS					25×10-12, 6-ply
	TURF			-12, 4-ply		-	-
ront guard design			Simple, center only		enter and bump	per	
Alloy wheel (not availa	ble with Turf tire)			Opt.			
Hydraulic bed lift			Opt.				
Spray-on bed liner			_				

1120D	RTV-X1100C				
Realtree® AP Camo	Kubota Orange Realtree® AP Camo				
KUBOTA D	1105-E4-UV				
3-cylinders, 4-cy	ycle, diesel, OHV				
68.5 ((1123)				
24.8 (18.	5)@3000				
	uid				
650	CCA				
(0-46.4)	0-25 (0-40)				
preload					
optical axis adjustment	Two 37.5 watt halogen				
point	2-point				
ROPS and ANSI B71.9	SAE J2194 and OSHA 1928 ROPS				
(3110)					
	65.4 (1660)				
	82.3 (2090)				
935)					
533)	2370 (1075)				
585)	1000 (700)				
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1629 (739)				
ower lift					
4	83				
	83				
	25.40.40.4				
Center, bumpe	25×10-12, 4-ply				
td.					
itd.	Opt.				
opt.					

ACCESSORIES & ATTACHMENTS

Please visit your local dealer or www.kubota.com for details

Modular "Build Your Own" Cab **Enclosure System**

Step 1: Pick a Canopy

- · Canopy- Metal FOPS (Black or Orange)
- · Canopy- Plastic (Black)

Step 2: Pick a windshield

- · Windshield- Tempered Glass
- · Windshield- Laminated Glass
- · Windshield- Hard-coated Polycarb

Step 3: Pick door type

- · Doors- Metal (Black or Orange)
- Doors- Vinyl with Metal frame (Black)

Step 4: Add Rear Panel to complete enclosure

· Rear Panel- Metal (Black)

Step 5: Add accessories to customize your Cab Enclosure

- · Mirrors- External Deluxe
- · Cab Heater
- · Interior Dome Light
- · LED Worklights- Front and/or Rear
- · Dash Panel Switch/Harness Panel

Stand-alone Canopies & Windshields, ROPS Accessories

- Windshield- Acrylic (Clear or Tinted)
 Windshield- Uncoated Polycarb
- (Clear or Tinted)
- · Plastic Canopy- Black
- Halogen Worklights- Front and/or Rear
 Mirror for ROPS RTVs
- · ROPS Organizer

Front Attachments. **Rear Sprayers and Spreaders**

(may require additional components)

- · General Duty Front 72" Straight Blade
- · Commercial HD Front 72" Straight & V-Blades
- · Commercial HD 60" Rotary Broom
- · Front Hydraulic Quick Hitch
- · Deluxe Hydraulic Controls & Valve Kits
- · 68 Gallon Sprayer System
- · 10 cubic foot Cargo Box Salt/Sand Spreader
- · 3 cubic foot Rear Mount Spreaders

Exterior, Mechanical & Electrical Accessories


- · Alloy Wheels & Tires
- · 4,000 lbs Winch Kit
- · RAC "Rapid Access Cargo" System
- · 2" Trailer Hitch Ball Mount Kit
- Vehicle Storage Cover
- · Plastic Cargo Bedliner
- · Tail Lamp Guard Kit
- · Splash Guard Kits
- · CV Joint Guards- front or rear
- Turn Signal/Hazard Light Kit
 Backup Alarm Kit
- · Front HD Spring & Damper Kits
- · Engine Block Heater Kit
- · Engine Hand Throttle Kits

"Realtrees" is a registered trademark of Jordan Outdoor Enterprises, Ltd.
The company reserves the right to change the above specifications without notice.
This brochure is for descriptive purposes only. Please contact your local Kubota dealer for warranty and safety information.
The values in "Ground clearance" and "Weight" are those of the machine equipped with the tires in the table above.
Some RTVs in this brochure are shown with optional accessories. For off-highway use only,

ACCESSORIES & ATTACHMENTS



■ Metal FOPS Canopy (RTV-X900 & RTV-X1120D only) VC5000



■ Plastic Canopy (RTV-X900 & RTV-X1120D only – Shown with VC5056 LED Strobe Light) VC5011



■ Roof and Windshield
(RTV-X900 & RTV-X1120D only - Not compatible
with "VC" canopies/windshields)
V5221 - Plastic Canopy
V5259 - Uncoated Polycarb Windshield



■ Hardened Acrylic Windshields (RTV-X900 & RTV-X1120D only - Compatible with all "VC" canopies) V5027 - Clear Acrylic Windshield V5028 - Tinted Acrylic Windshield



■ Laminated Windshield (RTV-X900 & RTV-X1120D only) VC5020



■ Tempered Glass Windshield (RTV-X900 only) VC5025



■ Poly Windshied (RTV-X900 & RTV-X1120D only) VC5023



■ Metal Doors with sliding windows (RTV-X900 & RTV-X1120D only)
VC5090 — Black
VC5091 — Orange




■ Kubota Vinyl Door (RTV-X900 & RTV-X1120D only) VC5095



■ Rear Panel (RTV-X900 & RTV-X1120D only – Shown with optional rear worklights and flashers) VC5040



■ RTV Mirror Kit (RTV-X900 & RTV-X1120D only) VC5076




■ Rear View Mirror (RTV-X900 & RTV-X1120D only) VC5070



■ Dome Light (RTV-X900 & RTV-X1120D only) VC5053




■ Wiper (RTV-X900 & RTV-X1120D only) VC5030



■ LED Front Worklights (x2) (RTV-X900 & RTV-X1120D only) VC5050



■ Rear Work Light
(RTV-X900 & RTV-X1120D only)
VC5051



■ Strobe Light VC5056 – RTV-X900 & RTV-X1120D VC5058 – RTV-X1100C



■ RTV Mirror Kit (RTV-X1100C only) V5059 - Cab



■ 72" General Duty Straight Blade with Quick Hitch V5008



■ Commercial 72" Hydraulic Straight Blade V5290



■ Commercial 72" V-Blade V5291



■ 60" Hydraulic Rotary Broom V5260




■ Front Hydraulic Quick Hitch V5289



■ Hydraulic Control & Valve System V5232 – 2-function Control & Valve V5233 – 3-function Hydraulic Valve Upgrade Kit (not shown)

ACCESSORIES & ATTACHMENTS




■ Curb Guard V5256



■ Front Guard Adapter Kit



■ Dust Suppression System for Rotary Broom (requires V5292 68 Gallon tank) V4496



■ 68 Gallon Tank and with Hose Reel & Spray Wand V5292



■ Cargo Box Spreader (RTV-X900 & RTV-X1100C only)
V5005



■ Material Control Tube for V5005 V4407



■ Winch Kit (4,000lbs capacity) V5244




■ Trailer Hitch Ball Mount Kit V5200



■ Vehicle Storage Cover V4382



■ Plastic Cargo Bedliner V5229



■ Tail Lamp Guard V5227



■ Turn Signal/Hazard Light Kit V5237



■ RAC "Rapid Access Cargo" System* (RTV-X900 & RTV-X1100C only) V5012 - Full RAC Frame System



■ RAC "Rapid Access Cargo" System* (RTV-X900 & RTV-X1100C only) V5015 - Extender Basket



System* (RTV-X900 & RTV-X1100C only) V5016 - Half Clip Basket



RAC "Rapid Access Cargo"



■ Backup Alarm Kit V5236

■ Halogen Worklights (RTV-X1100C only) V5282 – Front Lights V5283 – Rear Lights

Front Heavy Duty Spring & Damper Kits (RTV-X900 & RTV-X1120D only) V5218 - Front HD Springs (x2) V5219 - Front HD Springs & Struts (x2)

■ Engine Hand Throttle Kit V5241 – RTV-X900 V5243 – RTV-X1120D & RTV-X1100C



■ RAC "Rapid Access Cargo" System* (RTV-X900 & RTV-X1100C only) V5017 - Full Clip Basket



■ RAC "Rapid Access Cargo" System* (RTV-X900 & RTV-X1100C only) V4418 - Long Handle Tool Carrier



■ RAC "Rapid Access Cargo" System* (RTV-X900 & RTV-X1100C only) V4419 - String Trimmer Holder



■ RAC "Rapid Access Cargo" System* (RTV-X900 & RTV-X1100C only) V4421 - Backpack Blower Holder




■ RAC "Rapid Access Cargo" System* (RTV-X900 & RTV-X1100C only) V4422 - Cooler/Bucket Cruiser



■ Alloy Wheels and Tires (Standard on RTV-X1120D models) V5203 – Black wheels V5205 – Silver wheels

* RAC System does not include blowers, coolers, or any props shown in photos



The Mahindra mPACT XTV Utility Vehicle is the Smart Choice.

- ✓ Industry-Leading Cargo Box Capacity
- ✓ Industry-Leading Towing Capacity
- ✓ Industry-Leading Ground Clearance
- ✓ Industry-Leading, 3-Year Powertrain Warranty
- ✓ Unique, Fold-Down Cargo Boxes on Select Models

For Mahindra XTV product information, visit www.MahindraXTV.com.







9020 JACKRABBIT RD., Suite 600 • Houston, Texas 77095 • 877-449-7771

MahindraUSA,com • MahindraCanada,ca

1-2016 [Ashada NA. MAH0116 MOTOROPOS

MAHINDRA MPACT° XTV UTILITY VEHICLES

Wodels & Accessories

Haul More. Tow More. Go More.



Makindra mPACT XTV Utility Vehicles are designed to Haul More, Tow More and Go More.

Built from the ground up in Batesville, AR, the Mahindra mPACT XTV series sets the standard for handling hard work around the farm, property or anywhere else you need to take it. Mahindra offers world-class, off-road utility vehicles with unparalleled strength power and performance to help you work smarter and play harder.

The XTV lineup leads the utility vehicle category for cargo box capacity, towing capacity and ground clearance. These unique vehicles have spacious, comfortable seating and are loaded with standard features including electric power cargo box lift, 2" front and rear receiver hitches, black aluminum wheels and front bumper. Best of all, these vehicles include an industry-leading 3-Year Powertrain warranty. A full line of accessories is available for customizing these vehicles to fit your style and needs.



HAUL MORE, TOW MORE, GO MORE.

Haul More.

- Haul up to 1,200 lbs.
- Up to 34 cu ft of cargo volume (L models)
- · Electric power cargo box lift included as standard equipment
- Industry-exclusive cargo box sides that easily convert into a flatbed (L models and Flexhauler models)
- Built-in storage compartments
- 10.25" auto-style rotors and oversized calipers for stopping under any load
- Pre-load adjustable shocks with additional mounting points for optimal ride quality with any load

Tow more.

- Tow up to 2,100 lbs.
- Delivers max power to the ground with 36:1 gearbox ratio
- 10.25" auto-style rotors and oversized calipers for stopping under any load
- 2" standard front and rear receiver hitches included as standard equipment

Go More.

- 12" of ground clearance
- True 4WD auto-lock front differential and push-button rear differential lock
- 27" tires on 14" aluminum wheels
- \bullet Independent suspension front and rear with 10" of wheel travel






"S" Series


Standard features:


- 750 cc, fuel-injected Kohler gas engine or 1000 cc, 3-cylinder Kohler diesel engine
- Up to 35 MPH
- Electric power cargo box lift
- 2" front and rear receiver hitches
- 6-ply, 27" ATV tires on 14" aluminum wheels
- · 3-passenger seating plus cargo
- Haul More Up to 1,200 lbs. cargo box capacity*
- Tow More Up to 2,100 lb towing capacity
- Go More Up to 12" of ground clearance
- Available in Mahindra red of RealTreeⁿ AP camouflage color patterns
- *Flexhauler models have 50% more cargo volume [23 cu. ft.] than the standard cargo box. See more Flexhauler details on page 10.

Mahindra Utility Vehicles









Mahindra mPACT XTV Accessories

Mahindra offers over 40 accessories to customize your XTV to meet your specific needs.



Mahindra XTV Accessories







Mahindra XTV Accessories





Rear Tubular Bumper
Powder-coated, solid steel bumper
offers extended durability
793100300

























Clear viryl doors with built-in paddle latch and key are mounted on heavy-duty hinges for easy removal. 793501400 (S&L Models) 793501500 (C Models)

D


Mahindra XTV Accessories



Wiper/Washer

Underseat Storage

• Electronic wiper to keep windshield clean and clear






Tool Box

Steel tool box sits in bed for

793104710





Heavy-duty rubber mat provides additional protection for the bed



3.500 lb. Winch

3,500 lb. single-line pull with corded remote and mini-rocker switch with integrated socket

693600600



Warn Pro Vantage 4,000 lb. Winch

• 4,000 lb, single-line pull which includes dash-mounted mini-rocker switch and corded remote control

693600400



Warn Pro Vantage 4,500 lb. Winch

• 4,500 lb, single-line pull which control switch and corded remote

693600500



2-Gun Floor Mounted Gun Rack

to secure the stock of up to two firearms (shotguns or rifles)

600100000

Mahindra XTV Accessories



4-Gun Floor Mounted Gun Rack

· Heavy-duty, over-molded butt section to secure the stock of up to four firearms (shotguns or rifles)

600110000



2-Gun Above-Head Gun Rack

 Holds two guns securely to the inside roof area of your UTV 800300100



2-Gun Power-Ride Gun Rack

· Mounts anugly at the back of the UTV cab, and holds two guns in protective, super-soft cradles with Velcro retainer straps

600140000



10-Speaker Soundbar

A Bluctooth-enabled soundbar with a high-performance speaker array {10 speakers} and tranium dome tweeters for a nich and dynamic full-range performance

793201800



6-Speaker Soundbar

 A Bluetooth-enabled soundbar with a high-performance speaker array (6 speakers) and titanium dome tweaters for a rich and dynamic full-range performance

793201900



72" Snow Plow

Black powder-coated plow with electric actuator which uses 650 lbs. of down pressure that enables reliable back dragging with easy leftto-right adjustment.

793103800



 43 lb, plow capable of 3-7 mph in both forward and reverse, making creating food plots a one-man job

088905100




Power Steering Kit (Diesel)

Diesel models only, offers power assist steering

786202600





XTV Accessory Compatibility Chart

Thermosphate Fave (50.4) V V Thermosphate Fave (5) V V X X X X Thermosphate Fave (5) V V Thermosphate V Thermosphate V V Thermosphate V Thermosphate	×	V	×	Como			Corno				1000 L
Tablement Short [SL]		_		x	V	V	~	Flexhauler	×	Carno	V
Abministrat Novel 1		×	-	V	×	×	×	×	-	~	*
Uses Force Worksheld Flore Tolish Basses V V Down All Rose V V Uses And Rose V V Bass Paul Bass Paul	V	V	×	×	~	-	v	-	×	×	-
River Tideshe Borquer	×	×	~	-	×	×		*	·	~	×
Book Rick	· ·	V	-	~	~	~	~	- î	~	~	-
Observed Force	· ·	·	~	~	V	-	~	~	v	V	-
Nort Br Assand	~	-	~	~	~	-	v	-	~	V	V
Birth Pare	~	V	~	· ·	v	~	v	-	v	~	V
Bros Cati-(SSL)	~	V	~	~	v	v	v	~	~	v.	~
Brue Citi (C)	-	V	~	-		~	~	~	-	-	~
TA Vontable	V	V	×	×	V	-	v		-	~	~
Puli Divir Sid.	×	×	v	~	×	*	×	×	×	×	v
Seh Decry[S6L] V V Seh Devra [C] X X Warer/Washer Sei V V Hooker Sei Coh X X Tool Bis V V	· ·	~	~	~	·	- î	~		-	~	×
S. et Deves C	-	-	×	*	v	~	~	-	~	~	~
S-R Deves (C) X X X Wiger, Window Sec V V Honter for Cab. X X Tool Bru V V	· ·	~	×	×	~	v	~	~	×	x	~
Weiner/Washer/Set V V Hoster for Coh X X Tool Bru V V	×	×	~	·	*	_	_		×	×	~
Hoster for Cals X X Tool Bis V V	1	v	~	v	~	×	×	×	~	~	×
Tool Bru	×	×	x	×	*	_	~	~	~	~	~
	-	· ·	-	· ·	~	~	~	~	~	~	~
	×	×	~		_	~	~	~	~	~	-
B-riMn (SSC) V V	-	-	~	~	~	×	×	×	~	~	~
Brid Mist (L) X X	×	×	×	x	×	~	~	~	~	~	×
D.O.T. Glass Windshield V	·	-	-	~	~	×	x	Y	×	x	~
Side View Merrors V	· ·	~	~	-	-	~	~	~	~	~	V
Rear View Mirrors V	- V	-	~	~	~	-	~	~	*	~	V
CV Joint Protector Assumbly V	V	~	v	-	~	-	~	~	~	~	V
Fold-down Windsteeld V	· ·	_	~	-	~	~	~	~	~	~	~
Wern 3,500 By Weigh	V	-	-	~	· ·	~	~	~	-	~	~
Warn 4,000 lb. Weich	· ·	-	~	-	v	~	~	v	~	V	~
Warn 4 SOO In Westh	-	-	-	-	-	~	~	~	~	V	~
2 que Procendante d Sun Rock V V	V	~	_		-	-	~	-	-	~	~
4gas Bionmouster Gun Rock V	-	-	-	~	~	~	٧	~	~	V	V
2-pair Ms welfacet Guit Rock V V	v	-	~	~	v	-	~	~	~	~	~
4-gm Above-brook Grim Rock V	-	2	-	_	~	~	~	~	~	V	~
10 Spenker Sontritter V	-	-	-	~	~	~	~	~	~	V	V.
6 Sproker Soon Bor	-	~	· ·	-	~	~	~	v	~	v	~
72 m. Snow Plnw V V	~		-	~	v	-		*	~	~	~
UTV Dec Plan	-	-	-	v	V	~	~	v	~	4	V
Power Statemen Kit (Deniell) X X	*		-	·	V	~	v	~	~	v	~
Light Kit 13.5 in.	×	×	x	×	×	×	~	~	~	~	~
Light Kit 13,5 in, Green	~	_	-	~	-	~	~	~	~	v	~
Light Ke 20 in.	-	~	*	V	V	*	v	V	~	V	~
Layra Ke 30 in.	V .	V	~	V	~	~	v	V	~	v.	V
bight Kit 40 in.	V	~	V	~	V	~	V	~	~		



Specification Charts - XTV 750 Models

MODEL	Mahindra mPACT XTV 750.5	Mahindra mPACT XTV 750 S Camo	Mahindra mPACT XTV 750 S Flexhauler	Mahindra mPACT XTV 750 C	Mahindra mPACT XTV 750 C Camo	Mahindra mPACT XTV 750 L
ENGINE						ESERCIONE DE
Type	Kahler Fuel Injected Gas	Kohler Fuel Injected Gas.	Kohler Fuel Injected Gus	Kohler Fuel Injected Gos	Kohler Fuel Injected Gas	Kohler Fuel Injected Gus
Displacement	750cc	750cc	750cc	750cc	750cc	750cc
Oil Type	SAE15-40W	SAE15-40W	SAE15-40W	SAE15-40.V	SAE15-40V/	SAE15-40W
Fuel Tank Capacity	9 Gallon	9 Gallon	9 Gullon	9 Gallon	9 Gallon	9 Gallon
DRIVE SYSTEM						
Transmission	Continuously Variable Transmission (CVT)	Continuously Vanable Transmission (CVT)	Continuously Variable Transmission (CVT)	Continuously Variable Transmission (CVT)	Continuously Variable Transmission (CVT)	Continuously Variable Transmission (CVT)
Range	High-Low-N-Reverse- Park	High-Low-N-Reverse Park	High-LowN/Reverse- Park	High-Low-N-Reverse- Park	High-Low-Ni-Reverse- Park	High-Low-N-Reverse- Park
Front Differential	Auto-Lock	Auto-Lock	Auto-Lack	Auto-Lock	Auto-Lock	Auto-Lock
Rear Differential	Push-Button Lock	Push-Button Lock	Push-Button Lock	Push-Button Lock	Push-Button Lock	Push-Button Lock
Speed	Up to 35 mph	Up to 35 mph	Up to 33 mph	Up to 33 mph	Up to 33 mph	Up to 33 mph
STEERING						
Турс	Rack and Pinion	Rack and Pinion	Ruck and Pinion	Rack and Pinion	Rack and Pinion	Rack and Pinion
BRAKES						
Турс	4-Wheel Hydrauke Disc.	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc	4.Wheel Hydraulic Disc	4-V/hoel Hydraulic Disc
SUSPENSION					Hall Miller Control	
Front	Independent Dual A-Arm	Independent Dual AArm	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dusi A-Arm	Independent Dual A-Ann
Rear	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm	Independent Duol Alarm	Independent Dual A-Arm	Independent Duul A-Arm
Travel	10°	10"	10"	10"	10"	10"
CARGO BOX						
Dimensions	36" x 56.5" x 13"	36" x 56.5" x 13"	44" x 84" x 14"	36" x 56.5" x 13"	36" x 56.5" x 13"	70" x 60" x 14"
Copacity	1.200 lbs	1.200 lbs	1.200 lbs	1,000 lbs	1,000 lbs	1.200 lbs
MEASUREMENTS						
Length	113	113"	113"	149"	149*	149"
Width	63'	63"	63°	63"	63"	63"
Height	78"	78"	78"	78"	78"	76"
Wheelbase	77"	77"	77"	1117	111"	1111
Clearunce	12"	12"	12"	12"	121	12'
V/cight	1,571 lbs	1.571 lbs	1,571 lbs	1.834 lbc	1,034 lbs	1,725 lbs
Towing Copacity	2,100 lbs	2,100 lbs	2,100 tbs	2,100 lbs	2,100 lbs	2,100 lbs
TIRES						
Front	27x10x14 - 6 Ply	27x10x14 - 6 Ply	27x10x14 - 6 Ply	27x10x14 - 6 Ply	27x10x14 - 6 Ply	27x10x14 - 6 Ply
Reur	27x12x14 - 6 Ply	27x12x14 - 6 Ply	27x12x14 - 6 Ply	27x12x14 - 6 Ply	27x12x14 - 6 Ply	27x12x14 - 6 Ply

STANDARD EQUIPMENT

Electric Power Curgo Box Lift* 2" Front and Roar Rocewer Hitch

Florhauler eargo box features fold-down sides that easily converts to a flat bed.

* Not included on 1, models: L model curgo box is fixed and does not dump, but his fold down sides.

Specification Charts - XTV 1000 Models

MODEL	Mahindra mPACT XTV 1000 S	Mahindra mPACT XTV 1000 S Camo	Mahindra mPACT XTV 1000 S Flexhauler	Mahindra mPACT XTV 1000 C	Mahindra mPACT XTV 1000 C Camo	Mahindra mPACT XTV 1000 L
ENGINE		Company of the Company				
Туре	Kohler Diesel	Kohler Diesel	Kohler Diesel	Kohler Diesel	Kohler Diesel	Kohler Diesel
Displacement	1000cc	1000cc	1000cc	1000cc	1000cc	1000cc
Oil Type	SAE1540W	S4E15-40W	SAE15-40W	SAE15-40W	SAE15-40W	SAE15-40W
Fuel Tank Copacity	9 Gullon	9 Gullon	9 Gallon	9 Gallon	9 Gullon	9 Gallon
DRIVE SYSTEM						
Transmission	Continuously Variable Transmission (CVT)	Continuously Variable Transmission (CVT)	Continuously Variable Transmission (CVT)	Continuously Variable Transmission (CVT)	Continuously Variable Transmission (C\T)	Continuously Variable Transmission (CVT)
Runge	High-Low-N-Reverse- Park	High-Low-N-Reverse- Park	High-Low-N/Reverse- Park	High-Low-N-Reverse- Park	High-Low-N-Reverse- Park	High-Low-Ni-Reverse Park
Front Differential	Auto-Lock	Auto-Lock	Auto-Lock	Auto-Lock	Auto-Lock	Auto-Lock
Rear Differential	Push-Button Look	Push-Button Lock	Push-Butzon Lock	Push-Button Lock	Push-Button Lock	Push-Button Lock
Speed	Up to 35 mph	Up to 35 mph	Up to 33 mph	Up to 33 mph	Up to 33 mph	Up to 33 mph
STEERING						COLUMN TO SERVE
Туре	Reck and Pinion	Rack and Pinion	Rack and Pinion	Rack and Pinion	Rack and Pinion	Rack and Pinion
BRAKES						
Туре	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc	4-Wheel Hydraulic Disc	4-Wheel Hydroulic Dis
SUSPENSION	TOTAL TOTAL	THE STREET	Marie Carrier	NE CONTRACTOR		
Front	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm
Rear	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm	Independent Dual A-Arm
Travel	101	10"	101	10°	10*	10"
CARGO BOX		(Problems or State				
Dimensions	36" x 56.5" x 13"	36" x 56.5" x 13"	44" x 64" x 14"	36" x 56,5" x 13"	36" > 56,5" = 13"	70" x 60" x 14"
Capacity	1,200 lbs	1 200 lbs	1,200 lbs	1,000 lbs	1,000 lbs	1,200 lbs
MEASUREMENTS				STATE OF THE STATE OF		RESERVED IN
Length	113"	113"	113"	149	149"	149"
Width	63"	63"	63"	63"	63"	63"
Hoight	78*	70"	78"	78"	78°	76"
Wheelbase	77*	77*	77'	111"	1111	111"
Clearance	12"	12"	12"	12"	12"	12"
Weight	1.695 lbs	1.695 lbs	1,695 lbs	1.952 lbs	1.952 hs	1.843 lbs
Towng Capacity	2,100 lbs	2,100 lbs	2,100 lbs	2,100 lbs	2,100 lbs	2,100 lbs
TIRES						The same
Front	27x10x14 - 6 Ply	27x10x14 - 6 Ply	27x10x14 - 6 Ply	27x10x14 - 6 Ply	27x10x14 - 6 Ply	27x10x14-6 Ply
Rear	27x12x14 - 6 Ply	27x12x14 - 6 FW	27x12x14 - 6 Ply	27x12x14 - 6 PM	27x12x14-6 Ply	27x12x14 - 6 PW

STANDARD EQUIPMENT

Front Bumper Electric Power Cargo Box Lift* 2" Front and Rear Rocewer Hits

forhouser currou box features fold-down sides that eachy converts to a flat bird.

* Not included on L models, L model curgo box is fixed and does not dump, but his fold down sides,



18

19

MDDGS31029657 Utility/ All-Terrain Vehicles Bid

Vendor Proposal for Security Equipment

To whom it may concern,

Security Equipment is bidding both Kubota and Mahindra Utility Vehicles with accessories for the above mentioned bid. These units are currently on the Grounds Equipment Contract MDDGS17-007603 and we will be offering the same discount schedule for this bid. Our attached discount schedule is offered as a percentage off manufactures list price. I have included literature with spec sheets for all units as well. Current list price pages are attached as well.

The end user/ purchaser have the option to choose a base vehicle and add the necessary attachments as desired. Understanding the bid requests windshields, cabs, heaters, etc as base attachments, not all users will need or want the same configurations, so we are offering the entire price book and attachment listing in our discount structure. For one of our manufactures, you can equip most vehicles with 5 different windshields, 3 different cabs and multiple other accessories, so not everyone is going to want or choose the same configuration. Along with these choices come varying costs, so the choice is up to the end user on how they wish to equip their specific vehicle to fit their needs or budget.

Please contact us with any questions or concerns.

Thank You,

Jeff Tribull

Security Equipment Company

RTV400Ci

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE Model Subaru EX42 1 cyl, 4 cycle OHC Air cooled Electronic fuel injection (EFI)

24.6 cu. in.

+16.0 Net Eng HP @ 4800 rpm

TRANSMISSION

Continuously Variable Transmission with Inertial Clutch (CVT Plus)

Forward Speeds:

Low 0 - 15 mph High 0 - 25 mph

Reverse 0 - 15 mph

Rear differential lock

FLUID CAPACITY

Fuel Tank 5.3 gal Engine 1.7 qts

Transmission 1.4 gal

Brake Fluid 0.21 qts

TIRES AND WHEELS

Heavy Duty F 24 x 9 - 12, 6 ply

R 24 x 11 - 12, 6 ply

ATV Tire F 24 x 9 - 12, 6 ply

R 24 x 11 - 12, 6 ply

DIMENSIONS

Width 54.7 in Height 72.0 in

Length 105.9 in Wheelbase 70.9 in Tow Capacity 1102 lbs

Ground Clearance F/R 8.1 in/6.8 in

CARGO BOX

Width 40.6 in Length 33.7 in

Depth 11.4 in Load Capacity 441 lbs

Vol. Capacity 9.0 cu ft

OPERATING FEATURES

Rack and Pinion Steering

CVT Plus Transmission

Front Independent Suspension

Rear Semi-independent Suspension

Brakes - Front/Rear Dry Disc

Rear Brake Lights / Front Headlights

2" Hitch Receiver - Front & Rear

SAFETY EQUIPMENT

Spark Arrestor Muffler

OSHA 1928.52 ROPS and seat belt

Rear Wheel Hand Parking Brake

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MACHINE * * *			
RTV400Ci-H	Utility Vehicle - Orange 16.0 hp Subaru Gas EFI Engine Heavy Duty Work Site Tires		1257	\$8,699.00
RTV400Ci-A	Utility Vehicle - Orange 16.0 hp Subaru Gas EFI Engine ATV Tires		1257	\$8,499.00
RTV400CiR-H	Utility Vehicle - RealTree® Hardwoods Camo 16.0 hp Subaru Gas EFI Engine Heavy Duty Work Site Tires		1257	\$9,199.00
RTV400CiR-A	Utility Vehicle - RealTree® Hardwoods Camo 16.0 hp Subaru Gas EFI Engine ATV Tires		1257	\$8,999.00

ORDER			FACTORY	APPROX.	SUGGESTED
CODE		DESCRIPTION	NUMBER	SHIP WT.	LIST PRICE
MODULAR CAB	, сом	PONENTS & CAB ACCESSORIES (Buy as kit or build with seg	arate componer	nts)	
V4409		Modular Hard Cab Includes: V431A0 Mounting Kit, Black TPO (plastic) canopy, Polycarbonate Quantum-coated windshield TPO rear panel, black TPO/steel doors		375	\$3,605.00
V4310A		Modular Cab/Component Mount Kit (included with V4409)		25	\$330.00
V4312		TPO (plastic) Canopy, Black (requires V4310A Mounting Kit)		25	\$501.00
V4429		TPO Door Kit (requires V4310A Mounting Kit)		25	\$1,953.00
V4428		Rear Panel Kit (requires V4310A Mounting Kit)		25	\$556.00
V4368		Polycarb, Quantum-coated windshield (requires V4310A Mounting Kit)		66	\$994.00
NON-MODULAR	SOFT	CAB, CANOPY, WINDSHIELD, LIGHTS			
V4430		Complete soft-sided Cab Includes metal canopy, hard-coated polycarb windshield, soft rear panel with zipper window, removable soft-sided steel framed doors with zipper windows and door locks Color: Black			\$2,574.00
CANOPY, WINDS	SHIELD	D, LIGHTS, ETC.			
/4364		Metal Canopy (Black) Requires V4363 Mount Kit			\$308.00
/4365		Polycarb Windshield with Hard Coat Requires V4363 Mount Kit (Not compatible with V4321 Canopy)			\$720.00
/4363		Canopy or Windshield Mount Kit for V4364 or V4365 (only 1 required if installing both)		14	\$102.00
77700-V4367 V4367)	+	Windshield Wiper Kit for V4365,V4409, V4312, V4430		5	\$152.00
7700-V4339 V4339)	+	Front or Rear Worklight Kit for V4364,V4409, V4312, V4430		2	\$114.00
7700-V4318 V4318)	+	Strobe Light Kit for all Cabs or Canopies		10	\$163.00

⁺ Order from Parts Department.

ORDER CODE		DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
CANOPY, WIND	DSHIEL	D, LIGHTS, ETC. (Cont.)			
V4321		Plastic Canopy order in quantity of 3; price per canopy)		28	\$216.00
V4316		Glass Windshield (not compatible with V4364 Metal Canopy or Cab)		100	\$347.00
V4315		Lower Windshield Panel (for V4316)		15	\$142.00
K7311-99620 (V4322A)	+	Front Worklights (2) (for ROPS or V4321)		7	\$123.00
K7311-99630 (V4323A) WINCHES	+	Rear Worklight (1) (for ROPS or V4321)		3	\$78.00
77700-V4380 (V4380)	+	Kubota/Superwinch 2500 Winch Kit Includes winch, wiring, switches, hardware (not compatible with K7311-99650 (V4333) Speedometer) Requires K7311-97312 Front Winch Platform		32	\$349.00
V4377*		Warn Complete Winch Kit – 2,500 lb capacity Includes winch, wiring, switches, hardware (not compatible with K7311-99650 (V4333) Speedometer) Requires K7311-97312 Front Winch Platform		32	\$540.00
K7311-97312		Front Winch Mount Platform required for RTV500's beginning with serial number 21812 and all RTV400Ci's		(Order from Par	rts Department)
* Subject of availa	ability				
ACCESSORIES	& ATTA	ACHMENTS			
77700-V4326 (V4326)	+	Electric Bed Lift		45	\$949.00
<7311-99540 V4350)	+	Rear Cargo Screen not compatible with V4311 or V4320)		16	\$160.00
(7211-99640 V4336)	+	Backup Beeper		2	\$128.00
(7211-99650 V4338)	+	Speedometer (not compatible with V4377; uses same connection)		2	\$98.00
(7311-99560 V 4335)	+	Front Accessory Box		4	\$151.00
(7311-99210 V 432 5)	+	Front Grille Guard, Silver		22	\$216.00
(7311-99610 V4337A)	+	Turn Signal/Hazard Light Kit		9	\$256.00
(7211-99200 V4352)	+	Cargo Box Mat		4	\$108.00
/4231		Headrest (one) Requires K7311-99540 (V4350) or K7311-99530 (V4341)		2	\$61.00
7311-99530 /4341)	+	Headrest Stay Kit		2	\$92.00
4349		Trailer Hitch - 2" (Straight)		6	\$31.00
Order from Par	ts Depa	artment.			



RTV400Ci Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ACCESSORIES & ATTA	ACHMENTS (Cont.)			
77700-V4358 + (V4358)	Rearview Mirror (1) - ROPS Models		2	\$31.00
V4359	Rearview Mirror (1) - Cab Models		5	\$52.00
V4381	RTV Storage Cover Dark gray, polyester, water resistent		5	\$82.00
77700-V4384 + (V4384)	ROPS Storage Organizer (Black polyester)		5	\$44.00
REPLACEMENT ROPS SFRTV-5	Park and Park			
3FK1V-3	Replacement ROPS		95	\$321.00
IMPLEMENTS				
V4308A	60" Front Blade (electric lift, manual angle, orange)		310	\$1,461.00
V4308*	60" Front Blade requires 77700-03066 (for RTVs without Front Guard) or 77700-03067 (for RTVs with Front Guard)		310	\$1,461.00
/4305	Standard Cutting Edge for V4308 or V4308A (replacement)		35	\$107.00
/4306	Professional Grade Cutting Edge for V4308/V4308A		50	\$204.00
/4307	Snow Deflector for V4308/V4308A		8	\$259.00
TIRES		*		
(7311-19310 + ARTV4303)	24 x 9 – 12 HDWS 6-ply Front tire		42	\$150.00
(7311-19410 + ARTV4304)	24 x 11 – 12 HDWS 6-ply Rear tire		37	\$150.00
(7311-19110 + ARTV4301)	24 x 9 – 12 ATV 6-ply Front tire Left Hand		35	\$118.00
(7311-19160 +	24 x 9 - 12 ATV 6-ply Front tire Right Hand		35	\$118.00
7311-19210 + ARTV4302)	24 x 11 – 12 ATV 6-ply Rear tire Left Hand		40	\$118.00
7311-19260 + ARTV4302)	24 x 11 – 12 ATV 6-ply Rear tire Right Hand		40	\$118.00

REPLACEMENT ENGINE

E7179 - 00000

Replacement engine for RTV400Ci

(Order from Parts Department)

⁺ Order from Parts Department.

^{*} Subject to availability.

RTV500

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE

Model Kubota GZ460-E-UV 2 cyl, 4 cycle OHC Water cooled Electronic fuel injection (EFI) 27.8 cu. in. +15.8 Net Eng HP

TRANSMISSION

Variable Hydro Transmission Forward Speeds: Low 0 - 10 mph High 0 - 25 mph Reverse 0 - 10 mph Rear differential lock

FLUID CAPACITY

Fuel Tank 5.0 gal Cooling 1.3 qts Engine 1.43 qts Transmission 2.38 gal Brake Fluid 0.21 qts

TIRES AND WHEELS

Heavy Duty F 24 x 9 - 12, 6 ply R 24 x 11 - 12, 6 ply ATV Tire F 24 x 9 - 12, 6 ply R 24 x 11 - 12, 6 ply

DIMENSIONS

Width 54.7 in Height 72.0 in Length 105.9 in Wheelbase 70.9 in Tow Capacity 1102 lbs Ground Clearance F/R 8.1 in/6.8 in

CARGO BOX

Width 40.6 in Length 33.7 in Depth 11.4 in Load Capacity 441 lbs Vol. Capacity 9.0 cu ft

OPERATING FEATURES

Rack and Pinion Steering
VHT Plus Transmission
Front Independent Suspension
Rear Semi-independent Suspension
Brakes - Front/Rear Dry Disc
Rear Brake Lights / Front Headlights
2" Hitch Receiver - Front & Rear

SAFETY EQUIPMENT

OSHA 1928.52 ROPS and seat belt Rear Wheel Hand Parking Brake Spark Arrestor Muffler Sound Level - Operator's Ear 83 dBA @ max. rpms

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MACHINE * *	*		
RTV500-H	Utility Vehicle - Orange 15.8 hp Kubota Gas EFI Engine Heavy Duty Work Site Tires		1300	\$9,681.00
RTV500-A	Utility Vehicle - Orange 15.8 hp Kubota Gas EFI Engine ATV Tires		1300	\$9,475.00
RTV500R-H	Utility Vehicle - RealTree® Hardwoods Camo 15.8 hp Kubota Gas EFI Engine Heavy Duty Work Site Tires		1300	\$10,196.00
RTV500R-A	Utility Vehicle - RealTree® Hardwoods Camo 15.8 hp Kubota Gas EFI Engine ATV Tires		1300	\$9,990.00

ORDER			FACTORY	APPROX.	SUGGESTED
CODE		DESCRIPTION	NUMBER	SHIP WT.	LIST PRICE
CANOPY, WIND	SHIELD	D, LIGHTS, ACCESSORIES			
V4364		Metal Canopy (Black) Requires V4363 Mount Kit			\$308.00
V4365		Polycarb Windshield wiwth Hard Coat Requires V4363 Mount Kit (not compatible with V4321 Canopy)			\$720.00
V4363		Canopy or Windshield Mount Kit		14	\$102.00
77700-V4314 (V4314)	*+	Cab Heater (for V4311 or V4361 Cabs) (not compatible with K7311-99560 (V4335) Front Accessory Box)		16	\$444.00
77700-V4367 (V4367)	+	Windshield Wiper Kit for V4365		5	\$152.00
77700-V4339 (V4339)	+	Front or Rear Worklight Kit for V4363		2	\$114.00
77700-V4318 (V4318)	+	Strobe Light Kit for V4364		10	\$163.00

^{*} Subject to availability.

⁺ Order from Parts Department.

ORDER CODE		DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
OTHER CANOR	Y, WIN	NDSHIELD, LIGHTS, ETC.			
V4321		Plastic Canopy, order in quantity of 3; (price per canopy)		28	\$216.00
V4316		Glass Windshield (not compatible with V4364 Metal Canopy)		100	\$347.00
V4315		Lower Windshield Panel (for V4316)		15	\$142.00
V4322		Front Worklights (2) (for ROPS or V4321)		7	\$123.00
V4323		Rear Worklight (1) (for ROPS or V4321)		3	\$73.00
WINCHES					
77700-V4380 (V4380)	+	Kubota/Superwinch 2500 Winch Kit Includes winch, wiring, switches, hardware (not compatible with K7311-99650 (V4333) Speedometer) Requires K7311-97312 Front Winch Platform		32	\$349.00
V4377*		Warn Complete Winch Kit – 2,500 lb capacity Includes winch, wiring, switches, hardware (not compatible with K7311-99650 (V4333) Speedometer) Requires K7311-97312 Front Winch Platform		32	\$540.00
K7311-97312		Front Winch Mount Platform required for RTV500's beginning with serial number 21812 and all RTV400Ci's		(Order from Pa	rts Department)
ACCESSORIES	& ATT	ACHMENTS			
77700-V4326 V4326)	+	Electric Bed Lift		45	\$949.00
<7311-99540 V4350)	+	Rear Cargo Screen		16	\$160.00
(7311-99640 V4332)	+	Backup Beeper		2	\$128.00
(7311-99650 V 4333)	+	Speedometer (not compatible with V4377)		2	\$98.00
(7311-99560 V 433 5)	+	Front Accessory Box		4	\$151.00
(7311-99210 V4325)	+	Front Grille Guard, Silver		22	\$216.00
4337		Turn Signal/Hazard Light Kit		9	\$256.00
7311-99200 /4351)	+	Cargo Box Mat		4	\$108.00
4231		Headrest (one) Requires K7311-99540 (V4350) or K7311-99530 (V4341)		2	\$61.00
7311-99530 /434 1)	+	Headrest Stay Kit		2	\$92.00
4349		Trailer Hitch - 2" (Straight)		6	604.00
Order from Part	s Depa			6	\$31.00



ORDER CODE		DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ACCESSORIES	& ATT	ACHMENTS (Cont.)			
77700-V4358 (V4358)	*	Rearview Mirror (1) - ROPS Models		2	\$31.00
V4359		Rearview Mirror (1) - Cab Models		5	\$52.00
V4381		RTV Storage Cover Dark gray, polyester, water resistent		5	\$82.00
77700-V4384 (V4384)	+	ROPS Storage Organizer (Black polyester)		5	\$44.00
REPLACEMENT SFRTV-5	ROPS	Replacement ROPS		95	\$321.00
IMPLEMENTS					
V4308A		60" Front Blade (electric lift, manual angle, orange)		310	\$1,461.00
V4308		60" Front Blade (electric lift, manual angle, orange) Requires 77700-03066 (for RTVs without Front Guard), 77700-03067 (for RTV's with Front Guard)		310	\$1,461.00
V4305		Standard Cutting Edge for V4308 (replacement)		35	\$107.00
V4306		Professional Grade Cutting Edge for V4308		50	\$204.00
V4307		Snow Deflector for V4308		8	\$259.00
TIRES					
K7311-19310 (ARTV4303)	+	24 x 9 - 12 HDWS 6-ply Front tire		42	\$150.00
K7311-19410 (ARTV4304)	+	24 x 11 – 12 HDWS 6-ply Rear tire		37	\$150.00
K7311-19110 (ARTV4301)	+	24 x 9 - 12 ATV 6-ply Front tire Left Hand		35	\$118.00
K7311-19160 (ARTV4301)	+	24 x 9 - 12 ATV 6-ply Front tire Right Hand		35	\$118.00
K7311-19210 (ARTV4302)	+	24 x 11 – 12 ATV 6-ply Rear tire Left Hand		40	\$118.00
K7311-19260 (ARTV4302)	+	24 x 11 – 12 ATV 6-ply Rear tire Right Hand		40	\$118.00
REPLACEMENT	ENGIN	E			
GZ460FE3UV		Replacement engine for RTV500		240	\$3,938.00

⁺ Order from Parts Department.

RTV-X900G General Purpose Models

* * * EQUIPMENT IN STANDARD MACHINE * * *

DIESEL ENGINE Model Kubota D902 3 Cyl. 54.8 cu in +21.6 Gross Eng HP 60 Amp Alternator

TRANSMISSION

VHT-X
Variable Hydro Transmission
Forward Speeds:
Low 0 - 15 mph
High 0 - 25 mph
Reverse 0 - 17 mph
Limited-slip Front Differential
Rear differential lock

HYDRAULICS

Hydrostatic Power Steering Hydraulic Oil Cooler

FLUID CAPACITY Fuel Tank 7.9 gal Cooling 6.4 qts Engine Oil 3.3 qts Transmission Oil 1.8 gal Brake Fluid 0.4 qts

TIRES AND WHEELS ATV Tire 25 x 10 - 12, 6 ply Turf Tire 25 x 12 - 12, 4 ply Heavy Duty Worksite 25 x 10 - 12, 6 ply

DIMENSIONS Width 63.2 in Height 79.5 in Length 120.3 in Wheelbase 80.5 in Tow Capacity 1300 lbs Ground Clearance 10.4 in Suspension Travel 8 in Turning Radius 13.1 ft

CARGO BOX Width 57.7in Length 40.5 in Depth 11.2 in Load Capacity 1102 lbs Vol. Capacity 15.2 cu ft

KEY FEATURES Digital Multimeter Front Independent Adjustable Suspension Rear Independent Adjustable Suspension Brakes - Front/Rear Wet Disc Rear Brake Lights / Front Headlights 2" Hitch Receiver, Front and Rear Dark gray deluxe 60/40 split bench seats Open glove box (lid/lock optional) Front radiator guard (center section only) Deluxe 60/40 split bench seats Underseat Storage Compartments

SAFETY EQUIPMENT SAE J2194 & OSHA 1928 ROPS Dash-mounted Parking Brake Horn Spark Arrestor Muffler Retractable 2-point Seat Belts Rear Protective Screen

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
RTV-X900G-A	* * * STANDARD MACHINE * * * Utility Vehicle - General Purpose with ATV Tires		1907	\$13,345.00
RTV-X900G-H	Utility Vehicle - General Purpose with Heavy Duty Work Site Tires		1907	\$13,551.00
RTV-X900G-T	Utility Vehicle - General Purpose with Turf Tires		1907	\$13,396.00

RTV-X900W Worksite Models

* * * EQUIPMENT IN STANDARD MACHINE * * *

DIESEL ENGINE Model Kubota D902 3 Cyl. 54.8 cu in +21.6 Gross Eng HP 60 Amp Alternator

TRANSMISSION

VHT-X
Variable Hydro Transmission
Forward Speeds:
Low 0 - 15 mph
High 0 - 25 mph
Reverse 0 - 17 mph
Limited-slip Front Differential
Rear differential lock

HYDRAULICS

Hydrostatic Power Steering with manual tilt-feature Hydraulic Cargo Dump Hydraulic Oil Cooler

+ Manufacturer Estimate

FLUID CAPACITY

Fuel Tank 7.9 gal Cooling 6.4 qts Engine Oil 3.3 qts Transmission Oil 1.8 gal Brake Fluid 0.4 qts

TIRES AND WHEELS

ATV Tire 25 x 10 - 12, 6 ply Turf Tire 25 x 12 - 12, 4 ply Heavy Duty Worksite 25 x 10 - 12, 6 ply

DIMENSIONS

Width 63.2 in Height 79.5 in Length 120.3 in Wheelbase 80.5 in Tow Capacity 1300 lbs Ground Clearance 10.4 in Suspension Travel 8 in Turning Radius 13.1 ft

Factory Spray-on Bedliner

"L" Models Only

Bright Alloy Wheels (Silver-painted)

"S" Models Only

CARGO BOX

Width 57.7in Length 40.5 in Depth 11.2 in Load Capacity 1102 lbs Vol. Capacity 15.2 cu ft

KEY FEATURES

Digital Multi-meter
Front Independent Adjustable Suspension
Rear Independent Adjustable Suspension
Brakes - Front/Rear Wet Disc
Rear Brake Lights / Front Headlights
2" Hitch Receiver, Front and Rear
Deluxe 60/40 split bench seats
with driver's side seat adjustment
Underseat Storage Compartments
Lockable Glove Box
Front Guard (radiator guard and bumper)

SAFETY EQUIPMENT

SAE J2194 & OSHA 1928 ROPS Dash-mounted Parking Brake Horn

Spark Arrestor Muffler Retractable 2-point Seat Belts Rear Protective Sreen

ORDER		FACTORY	APPROX.	SUGGESTED
CODE	DESCRIPTION	NUMBER	SHIP WT.	LIST PRICE
	* * * STANDARD MACHINE * * *			
RTV-X900W-A	Utility Vehicle - Work Site - Orange with ATV Tires,		1973	\$14,581.00
RTV-X900W-H	Utility Vehicle - Work Site - Orange with Heavy Duty Work Site Tires,		1973	\$14,787.00
RTV-X900W-T	Utility Vehicle - Work Site - Orange with Turf Tires,		1973	\$14,632.00
RTV-X900WL-A	Utility Vehicle - Work Site - Orange with ATV Tires and Spray-on Bedliner		1973	\$14,864.00
RTV-X900WL-H	Utility Vehicle - Work Site - Orange with HDWS Tires and Spray-on Bedliner		1973	\$15,070.00
RTV-X900WL-T	Utility Vehicle - Work Site - Orange with Turf Tires and Spray-on Bedliner		1973	\$14,915.00
RTV-X900WL-AS	Utility Vehicle - Work Site - Orange with ATV Tires and Spray-on Bedliner and Bright Alloy Wheels		1973	\$15,492.00
RTV-X900WL-HS	Utility Vehicle - Work Site - Orange with HDWS Tires and Spray-on Bedliner and Bright Alloy Wheels		1973	\$15,698.00

RTV-X900R Realtree AP Camo Models

* * * EQUIPMENT IN STANDARD MACHINE * * *

DIESEL ENGINE Model Kubota D902 3 Cyl. 54.8 cu in +21.6 Gross Eng HP

60 Amp Alternator

TRANSMISSION

VHT-X Variable Hydro Transmission Forward Speeds: Low 0 - 15 mph High 0 - 25 mph Reverse 0 - 17 mph Limited-slip Front Differential Rear differential lock

HYDRAULICS

Hydrostatic Power Steering with manual tilt-feature Hydraulic Cargo Dump Hydraulic Oil Cooler

+ Manufacturer Estimate

FLUID CAPACITY

Fuel Tank 7.9 gal Cooling 6.4 qts Engine Oil 3.3 ats Transmission Oil 1.8 gal Brake Fluid 0.4 qts

TIRES AND WHEELS

ATV Tire 25 x 10 - 12, 6 ply Heavy Duty Worksite 25 x 10 - 12, 6 ply

DIMENSIONS

Width 63.2 in Height 79.5 in Length 120.3 in Wheelbase 80.5 in Tow Capacity 1300 lbs Ground Clearance 10.4 in Suspension Travel 8 in Turning Radius 13.1 ft

Factory Spray-on Bedliner

"L" Models Only

CARGO BOX

Width 57.7in Length 40.5 in Depth 11.2 in Load Capacity 1102 lbs Vol. Capacity 15.2 cu ft

KEY FEATURES

Digital Multi-meter Manual Tilt-steering Front Independent Adjustable Suspension Rear Independent Adjustable Suspension Brakes - Front/Rear Wet Disc Rear Brake Lights / Front Headlights 2" Hitch Receiver, Front and Rear Deluxe 60/40 split bench seats with driver's side seat adjustment Underseat Storage Compartments Lockable Glove Box Front Guard (radiator guard and bumper)

SAFETY EQUIPMENT

SAE J2194 & OSHA 1928 ROPS Dash-mounted Parking Brake Spark Arrestor Muffler Retractable 2-point Seat Belts Rear Protective Screen

ORDER CODE	DESCRIPTION		APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MACHINE * * *			
RTV-X900R-A	Utility Vehicle - RealTree® AP - Camo with ATV Tires, RealTree® Camouflage Paint,		1973	\$15,147.00
RTV-X900RL-A	Utility Vehicle - RealTree® AP - Camo with ATV Tires, RealTree® Camouflage Paint, and Spray-on Bedliner		1973	\$15,430.00
RTV-X900R-H	Utility Vehicle - RealTree® AP - Camo with Heavy Duty Tires, RealTree® Camouflage		1973	\$15,353.00
RTV-X900RL-H	Utility Vehicle - RealTree® AP - Camo with Heavy Duty Tires, RealTree® Camouflage and Spray-on Bedliner		1973	\$15,636.00

ORDER CODE			TORY	APPROX. SHIP WT.	SUGGESTED LIST PRICE
NEW "BUILD	YOUR	OWN CAB" SYSTEM (Complete cab enclosures no longer carried)			
STEP 1:		SELECT A CANOPY			
VC5000		Canopy - Metal FOPS (Black)		75	\$408.00
VC5001		Canopy - Metal FOPS (Orange)		75	\$408.00
VC5011		Canopy - Plastic (Black)		40	\$311.00
STEP 2:		SELECT A WINDSHIELD (VC Canopy required)			4011.00
VC5020		Windshields - Laminated Glass (AS1)		78	\$1,210.00
VC5023		Windshield - Polycarbonate with Hard Coat (accepts wiper)		72	\$1,101.00
VC5025		Windshield - Tempered Glass (AS2) (Not available for RTV X1120D)		66	\$743.00
If you only need acrylic windshie	a can	opy and windshield (i.e., not a full enclosure) the following e available (not compatible with wiper or doors)			
V5027		Clear Acrylic Windshield - Compatible with all "VC" canopies, not compatible with any doors, wipers, and 77700-VC5080 (VC	25000)	21	\$399.00
V5028		Tinted Acrylic Windshield - (Compatible with all "VC"	25060)	24	0440.00
		canopies, not compatible with any doors, wipers and 77700-VC5080 (VC	6080))	21	\$419.00
STEP 3:		SELECT DOOR TYPE			
VC5090		Doors - Metal with Sliding window (Black)		151	\$1,667.00
VC5091		Doors - Metal with Sliding window (Orange)		151	\$1,667.00
VC5095		Doors - Vinyl with zip down clear vinyl windows (Black)		91	\$1,014.00
STEP 4: VC5040		SELECT REAR PANEL TO COMPLETE ENCLOSURE Rear Panel		79	\$574.00
STEP 5:		REQUIRED: HEAVY DUTY FRONT SPRINGS OR SPRING/STRUT		79	\$374.00
V5218		ASSEMBLY WHEN FULL CAB IS INSTALLED AND/OR ANY FRONT IMPLEMENT			
V5219		Front Heavy Duty Spring Kit		10	\$99.00
STEP 6:		Front Heavy Load Spring and Damper Assy Kit		19	\$249.00
SIEP 6:		SELECT CAB ACCESSORIES TO CUSTOMIZE CAB (HEATER, LIGHTS, ETC.)			
77700-VC5030 (VC5030)	+	Windshield Wiper Kit (Requires 77700-VC5080 (VC5080) or 77700-VC5081 (VC5081)Wire Harness Kit) Fits "VC" Windshields. (NOT compatible with Acrylic Windshields)		7	\$208.00
77700-VC5083 (VC5083)	+	Heater Kit (Requires 77700-VC5080 (VC5080) or 77700-VC5081 (VC5081) Wire Harness Kit)		26	\$597.00
77700-VC5050 (VC5050)	+	Front LED Work Light Kit (2) (Requires 77700-VC5080 (VC5080) or 77700-VC5081 (VC5081) Wire Harness Kit), (Fits all "VC" canopies)		4	\$199.00
77700-VC5051 (VC5051)	+	Rear LED Work Light Kit (1) (Requires 77700-VC5080 (VC5080) or 77700-VC5081 (VC5081) Wire Harness Kit). (Fits VC5040 Rear Canopy)		2	\$141.00
77700-VC5053 VC5053)	+	Dome Light for VC5000 VC5001, and VC5011 Top (Does not require Wire Harness Kit)		2	\$82.00
77700-VC5056 VC5056)	+	Strobe Light LED (Requires 77700-VC5080 (VC5080) or 77700-VC5081 (VC5081) Wire Harness Kit) (Fits all "VC" canopies)		3	\$160.00
77700-VC5076 VC5076)	+	Deluxe External Mirrors (2) (Fits on Windshields VC5020 VC5025, VC5023, V5027, V5028, V5298, V5259 or ROPS only)		2	\$115.00
77700-VC5080 VC5080)	7700-VC5080 + Switch Panel/Wire Harness Kit for Multiple Accessories (up to 5)				

ORDER CODE		DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
STEP 6: (Cont.)				V.III. 1111.	LIOT FRICE
77700-VC5076 (VC5076)	+	Deluxe External Mirrors (2) (Fits on Windshields VC5020 VC5025, VC5023, V5027, V5028, V5298, V5259 or ROPS only)		2	\$115.00
77700-VC5080 (VC5080)	+	Switch Panel/Wire Harness Kit for Multiple Accessories (up to 5) (not compatible with V5027 and V5028 windshields)		3	\$126.00
77700-VC5081 (VC5081)	+	Wire Harness Kit - for Single Accesory use. (If Multiple Accessories are required order 77700-VC5080 (VC	5080\\	2	\$54.00
77700-VC5057 (VC5057)	+	4-Way Strobe-type Flashers, Fits on VC Windshields and VC5040 Rear Panel. Requires 77700-VC5080 (VC5080) or 77700-VC5081 (VC5081) Wire Harness Kit	3000))	2	\$562.00
K7591-99610 (V5237)	+	Turn Signal / Hazard Light Kit (ROPS or Cab)		4	\$277.00
NON-CAB USE W V5027	INDS	HIELDS COMPATIBLE WITH VC CANOPIES Clear Acrylic Windshield - Compatible with all "VC" canopies, not compatible with any doors, wipers, 77700-VC5080 (VC5080) or V5221 Canopy		21	\$399.00
V5028		Tinted Acrylic Windshield - Compatible with all "VC" canopies, not compatible with any doors, wipers, 77700-VC5080 (VC5080) or V5221 Canopy		21	\$419.00
L IMITED-APPLICA /5258	TION	Uncoated Polycarb Windshield - Clear NOT compatible with any "VC" components, except 77700-VC5081 (VC5081), 77700-VC5076 (VC5076). Only compatible with V5221 Canopy.	TH VC CABS	/CANOPIES) 23	\$449.00
/5259		Uncoated Polycarb Windshield - Tinted NOT compatible with any VC components, except 77700-VC5081 (VC5081), 77700-VC5076 (VC5076). Only compatible with V52		23	\$489.00
/5221		Plastic Canopy (Black) NOT compatible with any VC components. Only compatible with V5258 or V5259 Windshields		38	\$288.00
(7591-99620 /5222)	+	Halogen Front Work Lights (2) for ROPS with or without V5221 Canopy. Not compatible with VC Canopies.	•	8	\$142.00
7591-99630 /5223)	+	Halogen Rear Work Lights (1) fits ROPS with or without V5221 Canopy. Not compatible with VC Canopies.		3	\$75.00
IIRRORS ROPS 7700-V4358 /4358)	+	RTV Mirror Kit - ROPS		2	\$31.00
7700-V4266 /4266)	+	Interior Rearview Mirror Fits all windshields and ROPS only configurations		2	\$56.00
OMFORT, CONVE	NIEN	ICE, AND STORAGE			
7501-99550 (4231XT)	+	Headrest (Gray)		2	\$61.00
7591-99530 5230)	+	Headrest Bracket Kit (for RTV-X900/RTV-X1120)		5	\$129.00
7591-99570 5234)	+	Glove Box Cover Kit (to upgrade RTV-X900G Models)		2	\$39.00
INCH, TOWING, A 700-V5244 5244)		EXTERIOR PROTECTION Winch 4000 lbs. Capacity		31	\$599.00
5200		Trailer Hitch Ball Mount Kit (for front or rear 2" receiver)			50 - 172 TO 182 TO 182
7591-99640 5236)		Backup Alarm Kit		6 3	\$36.00 \$137.00

⁺ Order from Parts Department.

ORDER CODE		DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
WINCH, TOWING	, AND	EXTERIOR PROTECTION (Cont.)			
K7591-99150 (V5238)	+	CV Joint Guard - Front		3	\$99.00
K7591-99160 (V5239)	+	CV Joint Guard - Rear		3	\$99.00
K7591-99520 (V5225)	+	Mud Guard Kit - Front Wheels		6	\$99.00
K7591-99510 (V5226)	+	Mud Guard Kit - Rear Wheels		6	\$149.00
K7591-99660 (V5227)	+	Tail Lamp Guard Kit		5	\$124.00
V5229		Plastic Bed Liner (Minimum order qty 3) (Not compatible with spray on Bed Liner - designated with "L" in the model number)		25	\$243.00
V4382		Vehicle Storage Cover		5	\$92.00
GENERAL DUTY V5008	FRON	T STRAIGHT BLADE ("Curtis-blade" features new simple hitch 72" General Duty Front Blade, Electric-lift, Mechancial Angulation. Requires V5218 or V5219 HD Front Springs or Struts	system)	293	\$1,889.00
V5007		Hydraulic Angle Kit for V5008 Blade Requires V5271 Aux Hydraulic pump and V5273 or V5274 Valve		17	\$522.00
XTRA DUTY FRO	NT ST				
V5060		72" XTRA Duty Front Blade, Electro-hydraulic lift and angle, Complete kit with hitch, controller, etc. Requires V5218 or V5219 HD Front Springs or Struts		293	\$3,399.00
COMMERCIAL DU /5290	JTY HY	PRAULIC FRONT ATTACHMENTS 72" Commercial Straight Blade Requires V5289 Front Quick Hitch and V5232 Hydraulic Valve Kit		370	\$1,720.00
/5291		72" V-Plow Front Blade Requires V5289 Front Quick Hitch, V5232 and V5233 Kits		425	\$2,730.00
/5256		Curb Guards for V-Blade		8	\$77.00
/5289		Front Quick Hitch and Subframe (requires V5232 Hydraulic Valve Kit and V5218 or V5219 HD Front Springs or Struts)		70	\$793.00
/5255		Grill Guard Adapter Kit		10	\$94.00
/5250		Markers fits V5290, V5291, V5260		5	\$27.00
/5260		60" Rotary Broom - Requires V5289 Front Quick Hitch, V5232 Hydraulic Valve Kit, V5233 3rd Function Valve Upgrade Kit, V5240 Oil Cooler Kit, V5245 Hand Throttle Kit,		360	\$3,549.00
4324		Conversion Kit V4491 Broom to work on RTV-X		4	\$156.00
4344		Conversion Kit V5260 Broom to work on RTV900/1100/1140		22	\$641.00
5240		Hydraulic Oil Cooler (for V5260 Rotary Broom)		23	
5245		Hand Throttle Kit (for V5260 Rotary Broom)		4	\$1,386.00 \$146.00
5292		68 Gallon Tank 50ft. Hose reel w/Spray Wand	r.	150	\$146.00 \$1.746.00
4494		Rear Boom Spray Nozzle Kit (requires V5292 Water Tank		23	\$1,746.00
4496	1	Dust Supression Nozzle Kit for Rotary Broom (Requires V5292 Water Tank and V5260 Rotary Broom		23	\$464.00 \$289.00

ORDER CODE		DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
COMMERCIAL DUT	TY	HYDRAULIC FRONT ATTACHMENTS (Cont.)			LIGITINOL
V5271		Auxilary Hydraulic Pump - D902		10	\$479.00
V5273		Auxilary Hydraulic Valve (Single Valve)		10	\$719.00
V5274		Auxilary Hydraulic Valve (Double Valve)		10	\$969.00
V5276		Hydraulic Coupler Outlet (Uses bed lift circuit for stationary hydraulic applications		10	\$220.00
V5232		Hydraulic Valve Kit (2 Function) - Requires Auxilary Hydraulic Pump Kit V5272 or V5271		10	\$2,286.00
V5233		3rd Function Hydraulic Valve Upgrade Kit - Requires V5232 Hydraulic Valve kit		10	\$336.00
HYDRAULIC BED L K7591-99320 (V5242)	IFT +	(for RTV-X900 General Purpose) Hydraulic Bed Lift (to upgrade RTV-X900G Models)		10	\$999.00
SPREADERS					
V5002		Salt Spreader (3 cu. ft.) - Rear Mounted		40	\$1,720.00
V5003		Seed Spreader (3 cu. ft.) - Rear Mounted		40	\$2,197.00
V5005		Cargo Box Sand/Salt Spreader (10 cu. ft.)		150	\$4,510.00
V4407		Flow Control Tube (fits V5005 Spreader)		5	\$225.00
MECHANICAL AND				0	
<7591-99450 V5241)	+	Hand Throttle Kit - D902 Engine (applications requiring full AUX Hydraulic pump flow for all ground speeds)		5	\$99.00
(7591-99810 V4402)	+	Extended Oil Dipstick - D902 Engine (applications when bed cannot be raised) Not compatible with V5240 Hydraulic Oil Cooler		3	\$83.00
RAPID ACCESS CAI	RGO				
77700-V5012 V5012)	+	Full RAC Frame System		91	\$823.00
7700-V4419 V4419)	+	String Trimmer Holder / RTV		3	\$102.00
7700-V4421 /4421)	+	Backpack Blower Holder / RTV		3	\$102.00
7700-V4422 /4422)	+	Cooler/Bucket Cruiser		3	\$82.00
7700-V5015 /5015)	+	Extender Basket		30	\$319.00
7700-V5016 /5016)	+	Half Clip Basket		14	\$185.00
7700-V5017 ′5017)	+	Full Clip Basket		30	\$216.00
7700-V5018 - 75018)	+	Long Handle Tool Carrier		10	\$144.00

ORDER CODE			ACTORY	APPROX. SHIP WT.	SUGGESTED LIST PRICE
TIRES AND WHEE	ELS			31111 1111	LIOTPRICE
K7591-19112 (ARTV5201)	+	25x10.00-12 ATV Tire, Steel Wheel Left Hand		40	\$126.00
K7591-19162 (ARTV5201)	+	25x10.00-12 ATV Tire, Steel Wheel Right Hand		40	\$126.00
K7591-19312 (ARTV5203)	+	25x10.00-12 HDWS Tire, Steel Wheel		40	\$187.00
K7591-19613 (ARTV5205)	+	25x12.00-12 TURF Tire, Steel Wheel		40	\$126.00
K7591-99830 (ARTV5211L)	+	25x10.00-12, LH, ATV Tire, Alloy Wheel (Silver)		40	\$237.00
K7591-99840 (ARTV5211R)	+	25x10.00-12, RH, ATV Tire, Alloy Wheel (Silver)		40	\$237.00
K7591-99850 (ARTV5212L)	+	25x10.00-12, LH, ATV Tire, Alloy Wheel (Black)		40	\$237.00
K7591-99860 (ARTV5212R)	+	25x10.00-12, RH, ATV Tire, Alloy Wheel (Black)		40	\$237.00
K7591-99790 (ARTV5213)	+	25x10.00-12 HDWS Tire, Alloy Wheel (Silver)		40	\$268.00
K7591-99800 (ARTV5214)	+	25x10.00-12 HDWS Tire, Alloy Wheel (Black)		40	\$268.00
K7591-99140 (V5203)	+	Hardware Kit - Alloy Wheel - Black (includes center cap and 4 wheel bolts)		5	\$29.00
K7591-99170 (V5205)	+	Hardware Kit - Alloy Wheel - Silver (includes center cap and 4 wheel bolts)		5	\$29.00
REPLACEMENT RO	OPS				
SFRTV-X9		Replacement ROPS		95	\$454.00
REPLACEMENT EN	NGIN			-	Ψ-3-4.00
D902E4UV1		Replacement Engine		185	\$3,556.00
BLOCK HEATER				1.5.5	40,000.00
77700-06199		Block Heater (Not compatible with V5291 Hydraulic Pump.)		Order from Part	s Department
REPLACEMENT FR (7591-97210	RONT	GUARDS (Upgrade/Replacement for RTV-X900 General Purpose RTV-X900 Worksite-type Front Guard (Center guard and horizontal bumper)	Model;	Order from Part	•
<7421-97200		RTV-X1120D/RTV-X1100E-type Front Guard (Center and horizontal bumper and lens guard)		Order from Part	s Department

⁺ Order from Parts Department.

RTV-X900 HYDRAULIC KIT APPLICATION CHART

RTV-X Series: Hydraulic Application Chart	Hydraulic Bed Lift Kit for RTV-X900G	Auxiliary Hydraulic Pump - D902	Auxiliary Hydraulic Pump - D1105	Auxiliary Hydraulic Valve - 1 Valve© No flow deter	Auxiliary Hydraulic Valve - 2 Valves (no flow deten	-Hydraulic Coupler Kit - Bed Lift Circuit	Electro-hydraulic Valve Kit -2 Function	Electro-Hydraulic Valve Klt - 3rd Function	Hydraulic Cooler Kit	Hydraulic Control	# of Hydraulic	Type of Hydraulic	Location of Hydraulic	A 10 10 10 10 10 10 10 10 10 10 10 10 10	x Flow	Max Pressure
Applications	V5242	V5271	V5272 A	/5273 A	V5274 A	F276	V5232 €	√5233 E	5250 H	Method	Outlets	Outlets	Outlets	(g X900	pm) X1120	(psi)
Kubota Implements	12	_			-)=0			>					X900	X1100	
Converts RTV-X900G to Hydraulic Bed Lift	X		Nec	une	u, c		pur	1101		1		***				
V5007 Hydraulic Angulation Kit for V5008 Blade	1^	7	-					\vdash	H	Lever	2	NA	NA	2.4	3	1784
72" Commercial Blade	+	7	_	0	0	Н	х		-	Push Button	-	Front	Front	3.9	5	2132
72" V Blade		,	-	0	0	Н	X	х		Push Button	7	Front	Front	3.9	5	2132
50" Rotary Broom	_	-	_	0	0		x	x	х	Push Button	7	Front	Front	3.9	5	2132
Aftermarket Implements		X =	Rec	_	_	= 0			_	rusii button	-	Front	Front	3.9	5	2132
Stationary Vehicle Applications Only - 1 Cylinder ①②④)						х				Uses Bed Lift Lever	2	Rear	Rear	2.4	3	1784
Cylinder		×		X						Lever	2	Fitting®	Middle®	3.9	5	2132
Cylinder		X	_		Х					Lever	4	Fitting 3	Middle®	3.9	5	2132
Hydraulic Motor (momentary operation)		X	\rightarrow	X					0	Lever	4	Fitting®	Middle®	3.9	5	2132
Hydraulic Motor (momentary operations) and 1 Cyl		X			X				0	Lever	4	Fitting®	Middle®	3.9	5	2132
Hydraulic Motor (continuous operation)		X		\Box	\Box	\Box	Х		Х	Push Button	4	Fitting®	Front	3.9	5	2132
Hydraulic Motor (continuous operation) and 1 Cyl		X			I	T	X	X	Х	Push Button	4	Fitting 3	Front	3.9	5	2132

- ① Vehicle must be stationary to use this Hydraulic circuit, otherwise loss of steering will result.
- ② This circuit cannot be used to power Hydraulic Motors.
- These are 9/16-18 Male JIC Fittings (capped) located in the middle section of the RTV above the front belly pan.
- RTV-X900G models require V5242 Hydraulic Bed Lift Circuit.
- © For applications requiring V5273 Single Hydraulic Valve Kit, the customer can order V5274 instead, if two remote valves are preferred.
- X = Required, O = Optional

RTV-X1140 Worksite Models (Orange)

* * * EQUIPMENT IN STANDARD MACHINE * * *

DIESEL ENGINE
Model Kubota D1105
3 Cyl. 68.5 cu in
+24.8 Gross Eng HP
60 Amp Alternator

TRANSMISSION

Variable Hydro Transmission Forward Speeds: Low 0 - 15mph High 0 - 25 mph Reverse 0 - 17 mph Limited-slip Front Differential Rear differential lock

HYDRAULICS

Hydrostatic Power Steering with manual tilt-feature Hydraulic Cargo Dump Hydraulic Oil Cooler

FLUID CAPACITY Fuel Tank 7.9 gal Cooling 8.6qts Engine Oil-4.3 qts Transmission Oil 1.8 gal Brake Fluid 0.4 qts

TIRES AND WHEELS

ATV: Front/Rear 25 x 10 - 12, 6 ply HDWS: Front/Rear 25 x 10 - 12, 6 ply Bright Alloy Wheels - Silver-painted with machined surface on "S" models only

DIMENSIONS

Width 63.2 in Height 79.7 in Length 142.1 in Wheelbase 98.2 in Tow Capacity 1300 lbs Ground Clearance F/R 11.2in / 9.4in Suspension Travel 8.0 in Turning Radius 17.1 ft

CARGO BOX

	1-Row Mode	2-Row Mode
Width	57.7 in	57.7 in
Length	51.1 in	26.0 in
Depth	11.2 in	11.2 in
Load Capacity	1102 lbs	661 lbs
Vol. Capacity	19.1 cu.ft.	9.9 cu. ft.

KEY FEATURES

Digital Multi-meter Speedometer

Front Independent Adjustable Suspension Rear Independent Adjustable Suspension

Brakes - Front/Rear Wet Disc Rear Brake Lights / Front Headlights 2" Hitch Receiver, Front and Rear Deluxe 60/40 split bench front seats with driver's side seat adjustment

Rear Bench Seat

Underfrontseat Storage Compartments Lockable Glove Box

Front Guard (radiator guard and bumper)

Factory Spray-on Bedliner - "L" Models Only

SAFETY EQUIPMENT

SAE J2194 & OSHA 1928 ROPS Horn

Dash-mounted Parking Brake Spark Arrestor Muffler Retractable 2-point Seat Belts Rear Protection Screen

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MACHINE * * *			
RTV-X1140W-A	Utility Vehicle - Work Site - Orange with ATV Tires		2851	\$16,639.00
RTV-X1140W-H	Utility Vehicle - Work Site - Orange with Heavy Duty Work Site Tires		2851	\$16,845.00
RTV-X1140WL-A	Utility Vehicle - Work Site - Orange with ATV tires and Spray-on Bedliner		2851	\$16,972.00
RTV-X1140WL-H	Utility Vehicle - Work Site - Orange with HDWS Tires and Spray-on Bedliner		2851	\$17,178.00
RTV-X1140WL-AS	Utility Vehicle - Work Site - Orange w/ ATV tires, spray-on Bedliner, and alloy wheels		2851	\$17,600.00
RTV-X1140WL-HS	Utility Vehicle - Work Site - Orange w/ HDWS tires, spray-on Bedliner and alloy wheels		2851	\$17,806.00

RTV-X1140 Realtree AP Camo Models

* * * EQUIPMENT IN STANDARD MACHINE * * *

DIESEL ENGINE Model Kubota D1105 3 Cyl. 68.5 cu in +24.8 Gross Eng HP 60 Amp Alternator

TRANSMISSION VHT-X Variable Hydro Transmission Forward Speeds: Low 0 - 15mph High 0 - 25 mph Reverse 0 - 17mph

Limited-slip Front Differential Rear differential lock

HYDRAULICS

Hydrostatic Power Steering with manual tilt-feature Hydraulic Cargo Dump Hydraulic Oil Cooler

+ Manufacturer Estimate

FLUID CAPACITY Fuel Tank 7.9 gal Cooling 8.6 qts Engine Oil 4.3 qts Transmission Oil 1.8 gal Brake Fluid 0.4 qts

TIRES AND WHEELS ATV Tire 25 x 10 - 12, 6 ply

Heavy Duty Worksite 25 x 10 - 12, 6 ply

DIMENSIONS

Width 63.2 in
Height 79.7 in
Length 142.1 in
Wheelbase 98.2 in
Tow Capacity 1300 lbs
Ground Clearance F/R 11.2in / 9.4in
Suspension Travel 8.0 in
Turning Radius 17.1 ft

Factory Spray-on Bedliner

"L" Models Only

CARGO BOX	1 Row	2 Row
Width	57.7 in	57.7 in
Length	51.1 in	26.0 in
Depth	11.2 in	11.2 in
Load Capacity	1102 lbs	661 lbs
Vol. Capacity	19.1 cu.ft.	9.9 cu. ft

KEY FEATURES

Digital Multi-meter
Speedometer
Front Independent Adjustable Suspension
Rear Independent Adjustable Suspension
Brakes - Front/Rear Wet Disc
Rear Brake Lights / Front Headlights
2" Hitch Receiver, Front and Rear
Deluxe 60/40 split bench front seats
with driver's side seat adjustment
Rear Bench Seat
Underfrontseat Storage Compartments
Lockable Glove Box
Front Guard (radiator guard and bumper,
lens guard)

SAFETY EQUIPMENT

SAE J2194 & OSHA 1928 ROPS Horn Dash-mounted Parking Brake Spark Arrestor Muffler Retractable 2-point Seat Belts Rear Protection Screen

ORDER					
CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE	
	* * * STANDARD MACHINE * * *				
RTV-X1140R-A	Utility Vehicle - Work Site - Realtree AP Camo with ATV Tires		2851	\$17,205.00	
RTV-X1140R-H	Utility Vehicle - Work Site - Realtree AP Camo with Heavy Duty Work Site Tires		2851	\$17,411.00	
RTV-X1140RL-A	Utility Vehicle - Work Site - Realtree AP Camo with ATV tires and Spray-on Bedliner		2851	\$17,538.00	
RTV-X1140RL-H	Utility Vehicle - Work Site - Realtree AP Camo with HDWS Tires and Spray-on Bedliner		2851	\$17,744.00	

ORDER			FACTORY	APPROX.	SL	GGESTED
CODE		DESCRIPTION	NUMBER	SHIP WT.		ST PRICE
		AB" SYSTEM (Complete cab enclosures no longer carried)				
STEP 1: SELECT	A CA					
VC5044		Canopy - Metal FOPS (Black)		TBA		\$999.00
VC5043		Canopy - Plastic (Black)		TBA		\$569.00
STEP 2: SELECT	A WII	()				
VC5020		Windshields - Laminated Glass (AS1)		TBA		\$1,210.00
VC5023		Polycarbonate with Hard Coat (Accepts Wiper)		TBA		\$1,101.00
VC5025		Windshield - Tempered Glass (AS2)		TBA		\$743.00
STEP 3: SEAT CAL	B CL					
VC5045		Cab Enclosure - Steel (Includes door and rear panel)		TBA		\$5,349.00
	VIID	PANEL TO ENCLOSE TO SEAT CONFIGURATION (OPTIONAL)		20210		
VC5046		Mid Panel - Steel with Sliding Window		TBA		\$638.00
VC5047		Mid Panel- Vinyl		TBA		\$219.00
		ACCESSORIES TO CUSTOMIZE CAB (HEATER, LIGHTS, ETC.)		7		120000 000
77700-VC5030	+	Time triper till (tredamen triper tredamen) of		7		\$208.00
(VC5030)		77700-VC5081 (VC5081) Wire Harness Kit) Fits "VC" Windshields.				
		(NOT compatible with Acrylic Windshields)				
77700-VC5083A	+	Heater Kit (Beautine 77700) (CE080 () (CE080) or 77700) (CE081		26		¢507.00
(VC5083A)	*	Heater Kit (Requires 77700-VC5080 (VC5080) or 77700-VC5081 (VC5081) Wire Harness Kit and VC Enclosure)		26		\$597.00
(*000007)		(VC5061) Wile Harriess Kit and VC Effclosure)				
77700-VC5050	4	Front LED Work Light Kit (2)		4		\$199.00
(VC5050)		(Requires 77700-VC5080 (VC5080) or 77700-VC5081 (VC5081)		4		\$199.00
(+05050)		Wire Harness Kit). (Fits on canopy VC5043 or VC5044)				
		ville Harriess Kity. (Fits on cartopy v05045 of v05044)				
77700-VC5051A	+	Rear LED Work Light Kit (1)		2		\$172.00
(VC5051A)		(Requires 77700-VC5080 (VC5080) or 77700-VC5081 (VC5081)		2		ψ172.00
,	20	Wire Harness Kit) . (Fits on canopy VC5043 or VC5044)				
		The Hames tilly : (I lie off callepy vocation vocation)				
77700-VC5053	+	Dome Light for VC5043 or VC5044		2		\$82.00
(VC5053)		(Does not require Wire Harness Kit)		-		402.00
		• Company and the Company of the Co				
77700-VC5056	+	Strobe Light LED (Requires 77700-VC5080 (VC5080) or		3		\$160.00
(VC5056)		77700-VC5081 (VC5081) Wire Harness Kit) (Fits on canopy				
		VC5043 or VC5044)				
77700-VC5057A	+	· ····································		TBA	\$	599.00
(VC5057A)		Requires 77700-VC5080 (VC5080) or 77700-VC5081 (VC5081)				
		Wire Harness Kit. Requires 4 Seat Enclosure VC5045				
		Requires Windshields VC5020, VC5023, or VC5025				
77700 1 /0 / 0 / 0						
77700-VC5076	+	Deluxe External Mirrors (2)		2 .		\$115.00
(VC5076)		Fits on Windshields VC5020, VC5025, VC5023				
77700-VC5080		Switch Danel Mire Harress I/A PA William				A185
(VC5080)	+	Switch Panel/Wire Harness Kit - Multiple Accessories		3		\$126.00
(-55000)		(includes Switch Panel Kit) Not compatible with V5027 or V5028 windshields				
		Requires VC windshield VC5020, VC5023, VC5025				
		requires vo willustriblu voduzu, voduza, voduza				

⁺ Order from Parts Department.

ORDER CODE		DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
STEP 5: (Cont.)		SELECT CAB ACCESSORIES TO CUSTOMIZE CAB (HEATER, LIGHTS, ETC.)			
77700-VC5081 (VC5081)	+	Wire Harness Kit - for Single Accesory use. (If Multiple Electrical Accessories are required, order 77700-VC50	80 (VC5080))	2	\$54.00
77700-V4266 (V4266)	+	Interior Rear View Mirror (Fits all windshields and ROPS only machines.)		2	\$56.00
K7591-99610 (V5237)	+	Turn Signal / Hazard Light Kit (ROPS or Cab)		4	\$277.00
<i>NON-CAB USE W</i> ∨5027	INDS	Clear Acrylic Windshield - Compatible with VC5043 or VC5044 Canopy. Not Compatible with Doors VC5091 and VC5095 or 77700-VC5030 (VC5030) Wiper Kit or 77700-VC5080 (VC5080) Wire Harness		21	\$399.00
V5028		Tinted Acrylic Windshield - Compatible with VC 5043 or VC5044 Not Compatible with Doors VC5091 and VC5095 or VC5095 or 77700-VC5030 (VC5030) Wiper Kit or 77700-VC5086 (VC5080) Wire Harness	0	21	\$419.00
MIRRORS ROPS 77700-V4358 V4358) MINCH, TOWING, 177700-V5244	+ AND +	RTV Mirror Kit - ROPS EXTERIOR PROTECTION Winch 4000 lbs. Capacity		2	\$31.00 \$599.00
V5244) /5200		Trailer Hitch Ball Mount Kit (for front or rear 2" receiver)			\$388.00
(7591-99640 V5236)	+	Backup Alarm Kit		6 3	\$36.00 \$137.00
(7591-99150 V5238)	+	CV Joint Guard - Front (2)		3	\$99.00
(7591-99160 V5239)	+	CV Joint Guard - Rear (2)		3	\$99.00
(7591-99520 V5225)	+	Mud Guard Kit - Front Wheels (2)		6	\$99.00
(7591-99510 (75226)	+	Mud Guard Kit - Rear Wheels (2)		6	\$149.00
(7591-99660 (75227)	+	Tail Lamp Guard Kit (2)		5	\$124.00
7700-V4383 /4383)	+	Vehicle Storage Cover		5	\$102.00

ORDER		DESCRIPTION	FACTORY	APPROX.	SUGGESTED
CODE		DESCRIPTION	NUMBER	SHIP WT.	LIST PRICE
	Y FROI	NT STRAIGHT BLADE ("Curtis-blade" features new simple hit	ch system)		
V5008		72" General Duty Front Blade, Electric Lift, Mechanical		293	\$1,889.00
V5007		Hydraulic Angle Kit for V5008 Blade		17	\$522.00
		Requires V5262 AUX Hydraulic pump and V5263 Valve			
XTRA DUTY FR	ONT ST	TRAIGHT BLADE			
V5060		72" XTRA Duty Front Blade, Electro-hydraulic lift and angle,		293	\$3,399.00
		Complete kit with hitch, controller			\$0,000.00
V5262		Auxilary Hydraulic Pump - D1105		TBA	\$479.00
V5263		Auxilary Hydraulic Pump (Single Valve)		TBA	\$719.00
MECHANICAL A	ND MA	INTENANCE			
70000-73595		Block Heater		Order From Pa	arts Department
K7621-99810	+	Extended Oil Dipstick- D1105 Engine		3	\$114.00
(V5204A)		(applications when bed cannont be raised)			
TIRES AND WHI	EELS				
K7591-19112 (ARTV5201)	+	25x10.00-12 ATV Tire, Steel Wheel Left Hand		40	\$126.00
K7591-19162	+	25x10.00-12 ATV Tire, Steel Wheel Right Hand		40	\$126.00
ARTV5201)		20x10.00 12 X1V Tilo, Otoci VViloci Tight Halid		40	\$126.00
K7591-19312 (ARTV5203)	+	25x10.00-12 HDWS Tire, Steel Wheel		40	\$187.00
K7591-99830	+	25x10.00-12 ATV Tire, Alloy Wheel (Silver)		40	\$237.00
ARTV5211L)		Towns of Territor Ind., Alloy Wilder (Silver)		40	\$237.00
K7591-99840 ARTV5211R)	+	25x10.00-12 ATV Tire, Alloy Wheel (Silver)		40	\$237.00
(7591-99850	+	25x10.00-12 ATV Tire, Alloy Wheel (Black)		40	\$237.00
ARTV5212L)				40	Ψ257.00
(7591-99860 ARTV5212R)	+	25x10.00-12 ATV Tire, Alloy Wheel (Black)		40	\$237.00
(7591-99790	+	25x10.00-12 HDWS Tire, Alloy Wheel (Sliver)		40	\$268.00
ARTV5213)		that the second		1000	V 200.00
(7591-99800 ARTV5214)	+	25x10.00-12 HDWS Tire, Alloy Wheel (Black)		40	\$268.00
7591-99140	+	The state of the s		5	\$29.00
/5203) (7591-99170		Includes center cap and 2 wheel bolts and 2 lug nuts			
V5205)	+	Hardware Kit- Alloy Wheel - Silver		5	\$29.00
/		Includes center cap and 2 wheel bolts and 2 lug nuts			
REPLACEMENT	ROPS				
FRTV-X11		Replacement ROPS for RTV-X1140		270	\$770.00

[♦] Order from Parts Department.

RTV-X1140 Hydraulic Kit Application Chart

RTV-X1140 Series: Hydraulic Application Chart	Auxiliary Hydraulic Pump - D1105	Auxiliary Hydraulic Valve - 1 Valve No Flow Detent	Hydraulic Coupler Kit - Bed Lift Circuit	Hy draulic Control Method	# of Hydraulic Outlets	Type of Hydraulic Outlets	Location of Hydraulic Outlets	Max Flow	Max Pressure
Applications	V5262	V5263	V5276			Gatiets	Outlets	(gpm)	(psi)
Kubota Implements	1	2	>						
V5007 Hydraulic Angulation Kit for V5008 Blade	X	х		Lever	2	Front	Front	5	2132
V5008 General Duty 72" Blade							TIOIL	(4)	
V5060 Extra-Duty 72"									(4)
Aftermarket Implements								(5)	(5)
Stationary Vehicle Applications Only - 1 Cylinder (1,2)			x	Uses Bed Lift Lever	2	Rear	Rear	3	1784
1 Cylinder	X	Х		Lever	2	Fitting(3)	Middle(3)	5	2132

⁽¹⁾ Vehicle must be stationary to use this Hydraulic circuit, otherwise lose of steering will result.

⁽²⁾ This circuit can not be used to power Hydraulic Motors.

⁽³⁾ These are 9/16-18 Male JIC Fittings (capped) located in the middle section of the RTV above the front belly pan.

⁽⁴⁾ Electric Blade Lift and Manual Angulation, no vehicle hydraulic functions used

⁽⁵⁾ Electric over hydraulic Blade Lift and Angulation, no vehicle hydraulic functions used

X = Required, O = Optional

RTV-X1120DW Worksite Models (Orange)

* * * EQUIPMENT IN STANDARD MACHINE * * *

DIESEL ENGINE

Model Kubota D1105 3 Cyl. 68.5 cu in +24.8 Gross Eng HP 60 Amp Alternator

TRANSMISSION

VHT-X
Variable Hydro Transmission
Forward Speeds:
Low 0 - 16 mph
High 0 - 29 mph
Reverse 0 - 17 mph
Limited-slip Front Differential
Rear differential lock

HYDRAULICS

Hydrostatic Power Steering with manual tilt-feature Hydraulic Cargo Dump Hydraulic Oil Cooler

+ Manufacturer Estimate

FLUID CAPACITY

Cooling 6.4 qts
Engine Oil 4.3 qts
Transmission Oil 1.8 gal
Brake Fluid 0.4 qts

TIRES AND WHEELS

ATV Tire 25 x 10 - 12, 6 ply Heavy Duty Worksite 25 x 10 - 12, 6 ply

DIMENSIONS

Width 63.2 in Height 79.5 in Length 120.3 in Wheelbase 80.5 in Tow Capacity 1300 lbs Ground Clearance 10.4 in Suspension Travel 8 in Turning Radius 13.1 ft

Factory Spray-on Bedliner

"L" Models Only

Bright Alloy Wheels

Silver-painted with machined surface

CARGO BOX

Width 57.7in Length 40.5 in Depth 11.2 in Load Capacity 1102 lbs Vol. Capacity 15.2 cu ft

KEY FEATURES

Digital Multi-meter
Speedometer
Front Independent Adjustable Suspension
Rear Independent Adjustable Suspension
Brakes - Front/Rear Wet Disc
Rear Brake Lights / Front Headlights
2" Hitch Receiver, Front and Rear
Deluxe 60/40 split bench seats
with driver's side seat adjustment
Underseat Storage Compartments
Lockable Glove Box
Deluxe Front Guard

(radiator guard, bumper, and lens guard)

SAFETY EQUIPMENT

SAE J2194 & OSHA 1928 ROPS

Horn

Dash-mounted Parking Brake Spark Arrestor Muffler Retractable 3-point Seat Belts Half-doors

Adjustable Headlights Rear Protection Screen

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MACHINE * * *			
RTV-X1120DW-AS	Utility Vehicle - Work Site - Orange with ATV Tires		2061	\$15,981.00
RTV-X1120DW-HS	Utility Vehicle - Work Site - Orange with Heavy Duty Work Site Tires		2061	\$16,187.00
RTV-X1120DWL-AS	Utility Vehicle - Work Site - Orange with ATV tires and Spray-on Bedliner		2061	\$16,264.00
RTV-X1120DWL-HS	Utility Vehicle - Work Site - Orange with HDWS Tires and Spray-on Bedliner		2061	\$16,470.00

RTV-X1120DR Realtree AP Camo Models

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model Kubota D1105 3 Cyl. 68.5 cu in +24.8 Gross Eng HP 60 Amp Alternator

TRANSMISSION

VHT-X
Variable Hydro Transmission
Forward Speeds:
Low 0 - 16 mph
High 0 - 29 mph
Reverse 0 - 17 mph
Limited-slip Front Differential
Rear differential lock

HYDRAULICS

Hydrostatic Power Steering with manual tilt-feature Hydraulic Cargo Dump Hydraulic Oil Cooler

+ Manufacturer Estimate

FLUID CAPACITY

Fuel Tank 7.9 gal Cooling 6.4 qts Engine Oil 4.3 qts Transmission Oil 1.8 gal Brake Fluid 0.4 qts

TIRES AND WHEELS

ATV Tire 25 x 10 - 12, 6 ply Heavy Duty Worksite 25 x 10 - 12, 6 ply

DIMENSIONS

Width 63.2 in Height 79.5 in Length 120.3 in Wheelbase 80.5 in Tow Capacity 1300 lbs Ground Clearance 10.4 in Suspension Travel 8 in Turning Radius 13.1 ft

Factory Spray-on Bedliner

"L" Models Only

Alloy Wheels

Black-painted with machined surface

CARGO BOX

Width 57.7in Length 40.5 in Depth 11.2 in Load Capacity 1102 lbs Vol. Capacity 15.2 cu ft

KEY FEATURES

Digital Multi-meter
Speedometer
Front Independent Adjustable Suspension
Rear Independent Adjustable Suspension
Brakes - Front/Rear Wet Disc
Rear Brake Lights / Front Headlights
2" Hitch Receiver, Front and Rear
Deluxe 60/40 split bench seats
with driver's side seat adjustment
Underseat Storage Compartments
Lockable Glove Box
Deluxe Front Guard
(radiator guard, bumper, and lens guard)

SAFETY EQUIPMENT

SAE J2194 & OSHA 1928 ROPS Horn Dash-mounted Parking Brake Spark Arrestor Muffler Retractable 3-point Seat Belts Half-doors Adjustable Head Lights Rear Protection Screen

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MACHINE * * *			
RTV-X1120DR-AS	Utility Vehicle - Work Site - Realtree AP Camo with ATV Tires		2061	\$16,607.00
RTV-X1120DR-HS	Utility Vehicle - Work Site - Realtree AP Camo with Heavy Duty Work Site Tires		2061	\$16,813.00
RTV-X1120DRL-AS	Utility Vehicle - Work Site - Realtree AP Camo with ATV tires and Spray-on Bedliner		2061	\$16,890.00
RTV-X1120DRL-HS	Utility Vehicle - Work Site - Realtree AP Camo with HDWS Tires and Spray-on Bedliner		2061	\$17,096.00

ORDER CODE		DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
NEW "BUILD Y	OUR (OWN CAB" SYSTEM (Complete cab enclosures no longer carried SELECT A CANOPY)		
VC5000		Canopy - Metal FOPS (Black)		75	\$408.00
VC5001		Canopy - Metal FOPS (Orange)		75	\$408.00
VC5011		Canopy - Plastic (Black)		40	\$311.00
STEP 2:		SELECT A WINDSHIELD (VC CANOPY REQUIRED)			
VC5020		Windshields - Laminated Glass (AS1) (accepts wiper)		78	\$1,210.00
VC5023		Windshield - Polycarbonate with Hard Coat (accepts wiper)		72	\$1,101.00
If you only need a windshields are a	a canor	by and windshield (i.e., not a full enclosure) the following acrylic e (not compatible with wiper or doors)			
V5027		Clear Acrylic Windshield - Compatible with all "VC" canopies, not compatible with doors, wipers, or 77700-VC5080 (VC5080) Harness Kit)		21	\$399.00
V5028		Tinted Acrylic Windshield - (Compatible with all "VC" canopies) not compatible with doors, wipers, or 77700-VC5080 (VC5080) Harness Kit)		21	\$419.00
STEP 3:		SELECT DOOR TYPE			
VC5090		Doors - Metal with Sliding window (Black)		151	\$1,667.00
VC5091		Doors - Metal with Sliding window (Orange)		151	\$1,667.00
VC5095		Doors - Vinyl with zip down clear vinyl windows (Black)		91	\$1,014.00
STEP 4:		SELECT REAR PANEL TO COMPLETE ENCLOSURE			
VC5040		Rear Panel (Black)		79	\$574.00
STEP 5:		HEAVY DUTY FRONT SPRINGS OR SPRING/STRUT ASSEMBL' REQUIRED FOR CAB AND/OR FRONT IMPLEMEN	Υ .		
V5218		Front Heavy Duty Spring Kit		10	\$99.00
V5219		Front Heavy Load Spring and Damper Assy Kit		19	\$249.00
STEP 6:		SELECT CAB ACCESSORIES TO CUSTOMIZE CAB (HEATER, LIGHTS, ETC.)			
77700-VC5030 (VC5030)	+	Windshield Wiper Kit (Requires 77700-VC5080 (VC5080) or 77700-VC5081 (VC5081) Wire Harness Kit) Fits "VC" Windshields. (NOT compatible with Acrylic Windshields)		7	\$208.00
77700-VC5083 (VC5083)	+	Heater Kit (Requires 77700-VC5080 (VC5080) or 77700-VC5081 (VC5081) Wire Harness Kit and VC Enclosure)		26	\$597.00
77700-VC5050 (VC5050)	+	Front LED Work Light Kit (2) (Requires 77700-VC5080 (VC5080) or 77700-VC5081 (VC5081) Wire Harness Kit). (Fits all "VC" canopies)		4	\$199.00
77700-VC5051 (VC5051)	+	Rear LED Work Light Kit (1) (Requires 77700-VC5080 (VC5080) or 77700-VC5081 (VC5081) Wire Harness Kit). (Fits VC5040 Rear Panel)		2	\$141.00
77700-VC5053 VC5053)	+			2	\$82.00
77700-VC5056 VC5056)	+	Strobe Light LED (Requires 77700-VC5080 (VC5080) or 77700-VC5081 (VC5081) Wire Harness Kit) (Fits all "VC" canopies)		3	\$160.00
77700-VC5076 VC5076)	+	Deluxe External Mirrors (2) (Fits on Windshields VC5020 VC5025, VC5023, V5027, V5028, V5258, V5259 or ROPS only)		1	\$115.00
77700-VC5080 VC5080)	+	Switch Panel/Wire Harness Kit - Multiple Accessories (includes Switch Panel Kit) Not compatible with V5027, V5028, V5258, and V5259 windshields Requires VC windshield.		3	\$126.00

⁺ Order from Parts Department.

RTV-X1120D Implements and Attachments

ORDER CODE		DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
STEP 6: (Cont.)		SELECT CAB ACCESSORIES TO CUSTOMIZE CAB (HEATER, LIGHTS, ETC.)			5.0.7.7.02
77700-VC5081 (VC5081)	+	Wire Harness Kit - for Single Accesory use. (If Multiple Electrical Accessories are required, order 77700-VC5080 (VC5080))		2	\$54.00
77700-V4266 (V4266)	+	Interior Rear View Mirror (Fits all windshields and ROPS only machines.)		2	\$56.00
77700-VC5057 (VC5057)	+			2	\$562.00
K7591-99610 (V5237)	+	Turn Signal / Hazard Light Kit (ROPS or Cab)		4	\$277.00
NON-CAB USE W V5027	INDS	HIELDS COMPATIBLE WITH VC CANOPIES Clear Acrylic Windshield - Compatible with all "VC" canopies, not compatible with any doors, wipers, 77700-VC5080 (VC5080) or V5221 Canopy		21	\$399.00
V5028		Tinted Acrylic Windshield - Compatible with all "VC" canopies, not compatible with any doors, wipers, 77700-VC5080 (VC5080) or V5221 Canopy		21	\$419.00
LIMITED-APPLICA V5258	TION	UCANOPIES, WINDSHIELDS AND LIGHTS (NOT COMPATIBLE W Uncoated Polycarb Windshield - Clear NOT compatible with any "VC" components, except 77700-VC5081 (VC5081), 77700-VC5076 (VC5076). Only compatible with V5221 Canopy.	ITH VC CABS	/CANOPIES) 23	\$449.00
V5259		Uncoated Polycarb Windshield - Tinted NOT compatible with any VC components, except 77700-VC5081 (VC5081), 77700-VC5076 (VC5076). Only compatible with V5221 Canopy.		23	\$489.00
V5221		Plastic Canopy (Black) NOT compatible with any VC components. Only compatible with V5258 or V5259 Windshield:	s.	38	\$288.00
K7591-99620 (V5222)	+	Halogen Front Work Lights (2) for ROPS with or without V5221 Canopy. Not compatible with VC Canopies.		8	\$142.00
K7591-99630 (V5223)	+	Halogen Rear Work Lights (1) fits ROPS with or without V5221 Canopy. Not compatible with VC Canopies.		3	\$75.00
MIRRORS ROPS 77700-V4358 (V4358)	+	RTV Mirror Kit - ROPS		2	\$31.00
COMFORT, CONVE K7591-99530 (V5230)	+	NCE, AND STORAGE Headrest Bracket Kit (for RTV-X900/RTV-X1120)		2	\$129.00
K7421-99550 (V5231)	+	Headrest (black)		2	\$61.00
WINCH, TOWING, A 77700-V5244 V5244)		EXTERIOR PROTECTION Winch 4000 lbs. Capacity		31	\$599.00
/5200		Trailer Hitch Ball Mount Kit (for front or rear 2" receiver)		6	#2C 00
(7591-99640 V5236)	+	Backup Alarm Kit		6	\$36.00 \$137.00
(7591-99150 V5238)	+	CV Joint Guard - Front		3	\$99.00
(7591-99160 V5239)	+	CV Joint Guard - Rear		3	\$99.00

[♦] Order from Parts Department.

RTV-X1120D Implements and Attachments

ORDER CODE		DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
WINCH, TOWING,	AND	EXTERIOR PROTECTION (Cont.)			
K7591-99520 (V5225)	+	Mud Guard Kit - Front Wheels		6	\$99.00
K7591-99510 (V5226)	+	Mud Guard Kit - Rear Wheels		6	\$149.00
K7591-99660 (V5227)	+	Tail Lamp Guard Kit		5	\$124.00
V5229		Plastic Bed Liner (Minimum order quantity 3) (Not compatible with spray on Bed Liner - designated with L in the model number)		25	\$243.00
V4382		Vehicle Storage Cover		5	\$92.00
GENERAL DUTY FE V5008	RON	T STRAIGHT BLADE ("Curtis-blade" features new simple hitc 72" General Duty Front Blade, Electric Lift, Mechanical Angulation. Requires V5218 or V5219 HD Front Springs or Struts	h system)	293	\$1,889.00
V5007		Hydraulic Angle Kit for V5008 Blade Requires V5272 AUX Hydraulic pump and V5273 or V5274 Valve		17	\$522.00
KTRA DUTY FRONT V5060	T ST	RAIGHT BLADE 72" XTRA Duty Front Blade, Electro-hydraulic lift and angle, Complete kit with hitch, controller, etc. Requires V5218 or V5219 HD Front Springs or Struts		293	\$3,399.00
COMMERCIAL DUT /5290	Y HY	YDRAULIC FRONT ATTACHMENTS 72" Commercial Straight Blade Requires V5289 Front Quick Hitch and V5232 Hydraulic Valve Kit		370	\$1,720.00
/5291		72" V-Plow Front Blade Requires V5289 Front Quick Hitch, V5232 and V5233 Kits		425	\$2,730.00
/5256		Curb Guards for V-Blade		8	\$77.00
/5289		Front Quick Hitch and Subframe (requires V5232 Hydraulic Valve Kit and V5218 or V5219 HD Front Springs or Struts)		70	\$793.00
/5255		Grill Guard Adapter Kit		10	\$94.00
/ 5250		Markers fits V5290, V5291, V5260		5	\$27.00
/5260		60" Rotary Broom - Requires V5289 Front Quick Hitch, V5232 Hydraulic Valve Kit, V5233 3rd Function Valve Upgrade Kit, V5240 Oil Cooler Kit, V5245 Hand Throttle Kit		360	\$3,549.00
4324		Conversion Kit V4491 Broom to work on RTV-X		4	\$156.00
4344		Conversion Kit V5260 Broom to work on RTV900/1100/1140		22	\$641.00
5240		Hydraulic Oil Cooler (for V5260 Rotary Broom)		23	\$1,386.00
5245		Hand Throttle Kit (for V5260 Rotary Broom)	•	4	\$146.00
5292		68 Gallon Tank 50ft. Hose reel w/Spray Wand		150	\$1,746.00
4494		Rear Boom Spray Nozzle Kit (requires V5292 Water Tank		23	\$464.00
4496		Dust Supression Nozzle Kit for Rotary Broom (Requires V5292 Water Tank and V5260 Rotary Broom		22	\$289.00
5272	1	Auxilary Hydraulic Pump - D1105		10	\$479.00
		Austine Hudenstin Value (Oisste Value)		00000	
5273 5274		Auxilary Hydraulic Valve (Single Valve) Auxilary Hydraulic Valve (Double Valve)		10	\$719.00

RTV-X1120D Implements and Attachments

ORDER CODE		DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
COMMERCIAL DI	ITV L	HYDRAULIC FRONT ATTACHMENTS (Cont.)			
V5276		Hydraulic Coupler Outlet (Uses bed lift circuit for stationary hydraulic applications		10	\$220.00
V5232		Hydraulic Valve Kit (2 Function) - Requires Auxilary Hydraulic Pump Kit V5272		10	\$2,286.00
V5233		3rd Function Hydraulic Valve Upgrade Kit - Requires V5232 Hydraulic Valve kit		10	\$336.00
SPREADERS					
V5002		Salt Spreader (3 cu. ft.) - Rear Mounted		40	\$1,720.00
V5003		Seed Spreader (3 cu. ft.) - Rear Mounted		40	\$2,197.00
MECHANICAL AN	D MA	AINTENANCE		70.20	
K7421-99450	+			-	\$00.00
(V5243)		(applications requiring full AUX Hydraulic pump flow for all ground speeds)		5	\$99.00
K7731-99810 (V5204)	+	Extended Oil Dipstick - D1105 Engine (applications when bed cannot be raised) Not compatible with V5240 Hydraulic Oil Cooler		3	\$114.00
TIRES AND WHEE	LS				
K7591-19112 (ARTV5201)	+	25x10.00-12 ATV Tire, Steel Wheel Left Hand		40	\$126.00
K7591-19162 (ARTV5201)	+	25x10.00-12 ATV Tire, Steel Wheel Right Hand		40	\$126.00
K7591-19312 (ARTV5203)	+	25x10.00-12 HDWS Tire, Steel Wheel		40	\$187.00
K7591-19613 (ARTV5205)	+	25x12.00-12 TURF Tire, Steel Wheel		40	\$126.00
K7591-99830 (ARTV5211L)	+	25x10.00-12, L, ATV Tire, Alloy Wheel (Silver)		40	\$237.00
K7591-99840 (ARTV5211R)	+	25x10.00-12, R, ATV Tire, Alloy Wheel (Silver)		40	\$237.00
K7591-99850 (ARTV5212L)	+	25x10.00-12, L, ATV Tire, Alloy Wheel (Black)		40	\$237.00
K7591-99860 ARTV5212R)	+	25x10.00-12, R, ATV Tire, Alloy Wheel (Black)		40	\$237.00
K7591-99790 ARTV5213)	+	25x10.00-12 HDWS Tire, Alloy Wheel (Silver)		40	\$268.00
<7591-99800 ARTV5214)	+	25x10.00-12 HDWS Tire, Alloy Wheel (Black)		40	\$268.00
(7591-99140 V5203)	+	Hardware Kit - Alloy Wheel - Black (includes center cap and 4 wheel bolts)		5	\$29.00
(7591-99170 V 5205)	+	Hardware Kit - Alloy Wheel - Silver (includes center cap and 4 wheel bolts)		5	\$29.00
REPLACEMENT RO SFRTV-X9D	PS	Replacement ROPS - RTV-X1120D		95	\$544.00
REPLACEMENT EN 01105E4UV1	IGINI	E Replacement Engine		230	\$4,119.00
BLOCK HEATER 00000-73595		Block Heater		Order from Par	

⁺ Order from Parts Department.

RTV-X1120 HYDRAULIC KIT APPLICATION CHART

RTV-X Series:	T	Γ	Γ	ete	eten	Γ		Γ	Γ							
Hydraulic Application Chart	Hydraulic Bed Lift Kit for RTV-X900G	Auxiliary Hydraulic Pump - D902	Auxiliary Hydraulic Pump - D1105	Auxiliary Hydraulic Valve - 1 Valve© No flow det	Auxiliary Hydraulic Valve - 2 Valves (no flow deter	Hydraulic Coupler Kit - Bed Lift Grcuit	Electro-hydraulic Valve Kit -2 Function	Electro-Hydraulic Valve Kit - 3rd Function	hydraulic Cooler Kit	Hydraulic Control Method	# of Hydraulic Outlets	Type of Hydraulic Outlets	Location of Hydraulic Outlets		(Flow	Max Pressure (psi)
Applications	V5242	V5271	V5272	V5273	V5274	V5276	V5232	V5233	5250				ounces.	X900	X1120	(pai)
Kubota Implements		_	_	_	_	_	ptic	_			100000000000000000000000000000000000000		State of the last		X1100	
Converts RTV-X900G to Hydraulic Bed Lift	×									Lever	0	NA	NA	2.4	3	1784
V5007 Hydraulic Angulation Kit for V5008 Blade	1	,	<							Lever	2	Front	Front	3.9	5	2132
72" Commercial Blade			<	0	0		х			Push Button	4	Front	Front	3.9	5	2132
72" V Blade)	<u>, </u>	0			X	Х		Push Button	7	Front	Front	3.9	5	2132
60" Rotary Broom)	(0	0		х	Х	х	Push Button	7	Front	Front	3.9	5	2132
Aftermarket Implements		X =	Rec	uire	d, C) = 0	ptic	nal	1000		100000000000000000000000000000000000000			2.5		2452
Stationary Vehicle Applications Only - 1 Cylinder (の②④)						х				Uses Bed Lift Lever	2	Rear	Rear	2.4	3	1784
1 Cylinder)	(Х						Lever	2	Fitting®	Middle®	3.9	5	2132
2 Cylinder)	(Х					Lever	4	Fitting®	Middle®	3.9	5	2132
1 Hydraulic Motor (momentary operation)		>	(Х					0	Lever	4	Fitting®	Middle®	3.9	5	2132
Hydraulic Motor (momentary operations) and 1 Cyl		>			Х				0	Lever	4	Fitting 3	Middle 3	3.9	5	2132
L Hydraulic Motor (continuous operation)		>					Х		Х	Push Button	4	Fitting®	Front	3.9	5	2132
L Hydraulic Motor (continuous operation) and 1 Cyl		>	,				Х	2.0	X	Push Button	4	Fitting®	Front	3.9	-	2132

 $[\]Phi$ Vehicle must be stationary to use this Hydraulic circuit, otherwise loss of steering will result.

This circuit cannot be used to power Hydraulic Motors.

These are 9/16-18 Male JIC Fittings (capped) located in the middle section of the RTV above the front belly pan.

[@] RTV-X900G models require V5242 Hydraulic Bed Lift Circuit.

To For applications requiring V5273 Single Hydraulic Valve Kit, the customer can order V5274 instead, if two remote valves are preferred.

X = Required, O = Optional

This page intentionally left blank.

RTV-X1100CW Factory A/C Cab Worksite Models

* * * EQUIPMENT IN STANDARD MACHINE * * *

DIESEL ENGINE

Model Kubota D1105 3 Cyl. 68.5 cu in +24.8 Gross Eng HP 75 Amp Alternator

TRANSMISSION

VHT-X
Variable Hydro Transmission
Forward Speeds:
Low 0 - 15 mph
High 0 - 25 mph
Reverse 0 - 17 mph
Limited-slip Front Differential
Rear differential lock

HYDRAULICS

Hydrostatic Power Steering with manual tilt-feature Hydraulic Cargo Dump Hydraulic Oil Cooler

+ Manufacturer Estimate

FLUID CAPACITY

Fuel Tank 7.9 gal Cooling 8.3 qts Engine Oil 4.3 qts Transmission Oil 1.8 gal Brake Fluid 0.4 qts

TIRES AND WHEELS

ATV Tire 25 x 10 - 12, 6 ply Turf Tire 25 x 12 - 12, 4 ply Heavy Duty Worksite 25 x 10 - 12, 6 ply

DIMENSIONS

Width 63.2 in Height 79.5 in Length 120.3 in Wheelbase 80.5 in Tow Capacity 1300 lbs Ground Clearance 10.4 in Suspension Travel 8 in Turning Radius 13.1 ft

Factory Spray-on Bedliner

"L" Models Only

Bright Alloy Wheels

Silver-painted with machined surface "S" Models only

CARGO BOX

Width 57.7in Length 40.5 in Depth 11.2 in Load Capacity 1102 lbs Vol. Capacity 15.2 cu ft

KEY FEATURES

Factory Cab w/ A/C, Heater, Defroster
Fully opening roll-down door windows
Digital Multi-meter
Speedometer
Pre-wired w/ speakers/antenna for stereo
Front Independent Adjustable Suspension
Rear Independent Adjustable Suspension
Brakes - Front/Rear Wet Disc
Rear Brake Lights / Front Headlights
2" Hitch Receiver, Front and Rear
Deluxe 60/40 split bench seats
with driver's side seat adjustment
Underseat Storage Compartments
Deluxe Front Guard
(radiator guard, bumper, and lens guard)

SAFETY EQUIPMENT

SAE J2194 & OSHA 1928 ROPS Horn Dash-mounted Parking Brake Spark Arrestor Muffler Retractable 2-point Seat Belts

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MACHINE * * *			*
RTV-X1100CW-A	Utility Vehicle - Work Site - Orange with ATV Tires		2370	\$20,833.00
RTV-X1100CW-H	Utility Vehicle - Work Site - Orange with Heavy Duty Work Site Tires		2370	\$21,039.00
RTV-X1100CW-T	Utility Vehicle - Work Site - Orange with Turf Tires		2370	\$20,884.00
RTV-X1100CWL-A	Utility Vehicle - Work Site - Orange with ATV tires and Spray-on Bedliner		2370	\$21,116.00
RTV-X1100CWL-H	Utility Vehicle - Work Site - Orange with HDWS Tires and Spray-on Bedliner		2370	\$21,322.00
RTV-X1100CWL-AS	Utility Vehicle - Work Site - Orange with ATV tires, Alloy wheels and Spray-on Bedliner		2370	\$21,744.00
RTV-X1100CWL-HS	Utility Vehicle - Work Site - Orange with HDWS Tires, Alloy Wheels and Spray-on Bedliner		2370	\$21,950.00

RTV-X1100CR Factory A/C Cab Realtree AP Camo

* * * EQUIPMENT IN STANDARD MACHINE * * *

Model Kubota D1105 3 Cyl. 68.5 cu in

+24.8 Gross Eng HP 75 Amp Alternator

TRANSMISSION

VHT-X
Variable Hydro Transmission
Forward Speeds:
Low 0 - 15 mph
High 0 - 25 mph
Reverse 0 - 17 mph
Limited-slip Front Differential
Rear differential lock

HYDRAULICS

Hydrostatic Power Steering with manual tilt-feature Hydraulic Cargo Dump Hydraulic Oil Cooler

+ Manufacturer Estimate

FLUID CAPACITY

Fuel Tank 7.9 gal Cooling 8.3 qts Engine Oil 4.3 qts Transmission Oil 1.8 gal Brake Fluid 0.4 qts

TIRES AND WHEELS

ATV Tire 25 x 10 - 12, 6 ply Turf Tire 25 x 12 - 12, 4 ply Heavy Duty Worksite 25 x 10 - 12, 6 ply

DIMENSIONS

Width 63.2 in Height 79.5 in Length 120.3 in Wheelbase 80.5 in Tow Capacity 1300 lbs Ground Clearance 10.4 in Suspension Travel 8 in Turning Radius 13.1 ft

Factory Spray-on Bedliner

"L" Models Only

CARGO BOX

Width 57.7in Length 40.5 in Depth 11.2 in Load Capacity 1102 lbs Vol. Capacity 15.2 cu ft

KEY FEATURES

Factory Cab with A/C, Heater, Defroster Fully-opening roll-down side windows Digital Multi-meter Pre-wired w/ speakers/antenna for stereo Front Independent Adjustable Suspension Rear Independent Adjustable Suspension Brakes - Front/Rear Wet Disc Rear Brake Lights / Front Headlights 2" Hitch Receiver, Front and Rear Deluxe 60/40 split bench seats with driver's side seat adjustment Underseat Storage Compartments Deluxe Front Guard (radiator guard, bumper, and lens guard)

SAFETY EQUIPMENT

SAE J2194 & OSHA 1928 ROPS Horn Dash-mounted Parking Brake Spark Arrestor Muffler Retractable 2-point Seat Belts

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MACHINE * * *			
RTV-X1100CR-A	Utility Vehicle - Work Site - Realtree AP Camo with ATV Tires		2370	\$21,605.00
RTV-X1100CR-H	Utility Vehicle - Work Site - Realtree AP Camo with Heavy Duty Work Site Tires		2370	\$21,811.00
RTV-X1100CRL-A	Utility Vehicle - Work Site - Realtree AP Camo with ATV tires and Spray-on Bedliner		2370	\$21,888.00
RTV-X1100CRL-H	Utility Vehicle - Work Site - Realtree AP Camo with HDWS tires and Spray-on Bedliner		2370	\$22,094.00

RTV-X1100C Implements and Attachments

ORDER			ACTORY	APPROX.	SUGGESTED
CODE		DESCRIPTION	UMBER	SHIP WT.	LIST PRICE
LIGHTS AND MI	RRORS	3			
K7731-99620 (V5282)	+	Halogen Front Work Lights for X1100 (2)		10	\$158.00
K7731-99630 (V5283)	+	Halogen Rear Work Lights for X1100 (1)		5	\$111.00
K7731-99610 (V5257)	+	Turn Signal / Hazard Light Kit for X1100		4	\$277.00
77700-V5059 (V5059)	+	RTV Mirror Kit - Cab		2	\$52.00
77700-VC5058 (VC5058)	+	Strobe Light - LED with Mount Kit		4	\$160.00
COMFORT, CON	VENIE	NCE, AND STORAGE			
K7501-99550 (V4231XT)	+	Headrest - Gray, Replacement only		2	\$61.00
V5235		Headrest Bracket Kit		5	\$99.00
K7731-99270 (V5286)	+	Sunvisor Kit(2)		5	\$139.00
K7711-99280 (V4258)	+	Rear utility Screen		23	\$232.00
WINCH, TOWING	AND	EXTERIOR PROTECTION			
77700-V5244 (V5244)	+	Winch 4000 lbs. Capacity		31	\$599.00
V5200		Trailer Hitch Ball Mount Kit (for front or rear 2" receiver)		6	\$36.00
K7591-99640 (V5236)	+	Backup Alarm Kit		3	\$137.00
K7591-99150 (V5238)	+	CV Joint Guard - Front		3	\$99.00
K7591-99160 V5239)	+	CV Joint Guard - Rear		3	\$99.00
K7591-99520 V5225)	+	Mud Guard Kit - Front Wheels		6	\$99.00
<7591-99510 V5226)	+	Mud Guard Kit - Rear Wheels		6	\$149.00
<7591-99660 V5227)	+	Tail Lamp Guard Kit		5	\$124.00
/5229		Plastic Bed Liner (Minimum order quantity 3) (Not compatible with spray on Bed Liner - designated with "L" in the model number)		25	\$243.00
/4382		Vehicle Storage Cover		5	\$92.00
SENERAL DUTY I	FRONT	STRAIGHT BLADE ("Curtis-blade" features new simple hitch sy 72" General Duty Front Blade, Electric Lift,	stem)		
		Mechanical Angulation.		293	\$1,889.00
/5007		Hydraulic Angle Kit for V5008 Blade Requires V5272 AUX Hydraulic pump and V5273 or V5274 Valve		17	\$522.00
TRA DUTY FROM					
/ 5060		72" XTRA Duty Front Blade, Electro-hydraulic lift and angle, Complete kit with hitch, controller, etc.		293	\$3,399.00

⁺ Order from Parts Department.

RTV-X1100C Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
COMMERCIAL	DUTY HYDRAULIC FRONT ATTACHMENTS	NOMBER	Shir WI.	LIST PRICE
V5290	72" Commercial Straight Blade Requires V5289 Front Quick Hitch and V5232 Hydraulic Valve Kit		370	\$1,720.00
V5291	72" V-Plow Front Blade Requires V5289 Front Quick Hitch, V5232 and V5233 Kits		425	\$2,730.00
V5256	Curb Guards for V-Blade		8	677.00
V5289	Front Quick Hitch and Subframe (requires V5232 Hydraulic Valve Kit)		70	\$77.00 \$793.00
V5255	Grill Guard Adapter Kit		10	604.00
V5250	Markers fits V5290, V5291, V5260			\$94.00
V5260	60" Rotary Broom - Requires V5289 Front Quick Hitch, V5232 Hydraulic Valve Kit, V5233 3rd Function Valve Upgrade Kit, V5240 Oil Cooler Kit, V5245 Hand Throttle Kit		5 360	\$27.00 \$3,549.00
V4324	Conversion Kit - V4491 Broom to work on RTV-X		4	\$156.00
V4344	Conversion Kit - V5260 Broom to work on RTV900/1100/1140		22	\$156.00
V5240	Hydraulic Oil Cooler (for V5260 Rotary Broom)		23	\$641.00
V5245	Hand Throttle Kit (for V5260 Rotary Broom)		4	\$1,386.00
V5292	68 Gallon Tank 50ft. Hose reel w/Spray Wand		AND	\$146.00
V4494	Rear Boom Spray Nozzle Kit (requires V5292 Water Tank		150	\$1,746.00
V4496	Dust Supression Nozzle Kit for Rotary Broom (Requires V5292 Water Tank and V5260 Rotary Broom		23 22	\$464.00 \$289.00
/ 5272	Auxilary Hydraulic Pump - D1105		10	£470.00
/5273	Auxilary Hydraulic Valve (Single Valve)		10	\$479.00
/5274	Auxilary Hydraulic Valve (Double Valve)		100.00	\$719.00
/5276	Hydraulic Coupler Outlet (Uses bed lift circuit for stationary hydraulic applications		10 10	\$969.00 \$220.00
/5232	Hydraulic Valve Kit (2 Function) - Requires Auxilary Hydraulic Pump Kit V5272 or V5271		10	\$2,286.00
/5233	3rd Function Hydraulic Valve Upgrade Kit - Requires V5232 Hydraulic Valve kit		10	\$336.00
PREADERS 5002				
/5002 /5003	Salt Spreader (3 cu. ft.) - Rear Mounted		40	\$1,720.00
	Seed Spreader (3 cu. ft.) - Rear Mounted		40	\$2,197.00
5005	Cargo Box Sand/Salt Spreader (10 cu. ft.)		150	\$4,510.00
4407	Flow Control Tube (fits V5005 Spreader)		5	\$225.00
	D MAINTENANCE			
7421-99450 /5243)	 Hand Throttle Kit - D1105 Engine (applications requiring full AUX Hydraulic pump flow for all ground speeds) 		5	\$99.00
7731-99810 ′5204)	 Extended Oil Dipstick - D1105 Engine (applications when bed cannot be raised) Not compatible with V5240 Hydraulic Oil Cooler 		3	\$114.00

⁺ Order from Parts Department.

RTV-X1100C Implements and Attachments

ORDER CODE		DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED
RAPID ACCESS	CARG	GO (RAC) SYSTEM	NOMBER	SHIP WI.	LIST PRICE
77700-V5012 (V5012)	+			91	\$823.00
77700-V4419 (V4419)	+	String Trimmer Holder / RTV		3	\$102.00
77700-V4421 (V4421)	+	Backpack Blower Holder / RTV		3	\$102.00
77700-V4422 (V4422)	+	Cooler/Bucket Cruiser		3	\$82.00
77700-V5015 (V5015)	+	Extender Basket		30	\$319.00
77700-V5016 (V5016)	+	Half Clip Basket		14	\$185.00
77700-V5017 (V5017)	+	Full Clip Basket		30	\$216.00
77700-V5018 (V5018)	+	Long Handle Tool Carrier		10	\$144.00
TIRES AND WHE	EIS				
K7591-19112 (ARTV5201)	+	25x10.00-12 ATV Tire, Steel Wheel Left Hand		40	\$126.00
K7591-19162 (ARTV5201)	+	25x10.00-12 ATV Tire, Steel Wheel Right Hand		40	\$126.00
K7591-19312 (ARTV5203)	+	25x10.00-12 HDWS Tire, Steel Wheel		40	\$187.00
K7591-19613 (ARTV5205)	+	25x12.00-12 TURF Tire, Steel Wheel		40	\$126.00
K7591-99830 (ARTV5211L)	+	25x10.00-12, L, ATV Tire, Alloy Wheel (Silver)		40	\$237.00
K7591-99840 (ARTV5211R)	+	25x10.00-12, R, ATV Tire, Alloy Wheel (Silver)		40	\$237.00
K7591-99850 ARTV5212L)	+	25x10.00-12, L, ATV Tire, Alloy Wheel (Black)		40	\$237.00
(7591-99860 ARTV5212R)	+	25x10.00-12, R, ATV Tire, Alloy Wheel (Black)		40	\$237.00
(7591-99790 ARTV5213)	+	25x10.00-12 HDWS Tire, Alloy Wheel (Silver)		40	\$268.00
(7591-99800 ARTV5214)	+	25x10.00-12 HDWS Tire, Alloy Wheel (Black)		40	\$268.00
(7591-99140 V5203)	+	Hardware Kit - Alloy Wheel - Black (includes center cap and 4 wheel bolts)		5	\$29.00
(7591-99170 V5205)	+	Hardware Kit - Alloy Wheel - Silver (includes center cap and 4 wheel bolts)		5	\$29.00

⁺ Order from Parts Department.

RTV-X1100 Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BLOCK HEATER				
70000-73595	Block Heater		Order from Pa	arts Department
RADIOS			Older ment t	arts Department
E9299A	Radio, AM/FM/WB	K241A80		6040.00
E9276B*	Radio, AM/FM/WB/CD	K343A20	4	\$310.00
E9276C	Radio, AM/FM/WB/CD/Bluetooth	K281A58	4	\$440.00 \$361.00
77700-04753	Jensen Radio, AM/FM/WB/AUX	11201730	886 987 S. PARE 1 10 100 C.	arts Department
77700-04754	Jensen Radio, AM/FM/WB/AUX/USB/IPOD/SAT			arts Department
77700-04755	Jensen Radio, AM/FM/WB/AUX/USB/IPOD/SAT/CD/BT			arts Department
* Subject to availability	y.			
	PTO K-Connect			
Power Module and K				
V5299	PTO Drive with K-Connect and Hand Throttle - Required V5293			\$2.07F.00
V5293	4 Point Hitch and Power Unit + Control Handle			\$2,075.00 \$3,050.00
Non-PTO Implements				
V5295A	78" V-Blade - Requires V5293		380	\$3,101.00
V5294A	78" Straight Blade - Requires V5293		310	\$2,051.00
PTO Implements				
V5266	66" Rotary Broom - PTO Driven - Requires V5293 & V5299		380	\$3,799.00
V5296	66" Commercial Snowblower - PTO Driven		310	\$4,099.00
	Requires V5293 & V5299			
TO K-Connect Acces	ssories			
/5278	Grill Guard Adaptor			\$93.00
/5298	Hitch Upgrade Kit - Includes 2 LED Work Lights -			
	Requires V5293			\$410.00
/4494	Rear Broom Nozzle Kit		23	\$464.00
/5292	Bed Mounted Water Tank		150	\$1,746.00
/5267	Dust Suppression Kit		22	\$279.00
/5284	Hard Plastic Cutting Edge Kit For V-Blade - V5295			\$543.00
5285	Skid Shoes			\$102.00
5287	Rubber Cutting Edge For Straight Blade -V5294A			
5288	Hard Plastic Cutting Edge Kit For Straight		25	\$369.00
	Blade - V5294A		25	\$543.00

RTV-X1100 Hydraulic Kit Application Chart

RTV-X Series:	T	Τ	Γ	ete	ten	Π	Τ	Τ	Τ							
Hydraulic Application Chart	Hydraulic Bed Lift Kit for RTV-X900G	Auxiliary Hydraulic Pump - D902	Auxiliary Hydraulic Pump - D1105	Auxiliary Hydraulic Valve - 1 Valve (\$) No flow dete	Auxiliary Hydraulic Valve - 2 Valves (no flow deten	10	Electro-hydraulic Valve Kit -2 Function	Electro-Hydraulic Valve Kit - 3rd Function	Hydraulic Cooler Kit	Hydraulic Control Method	# of Hydraulic Outlets	Type of Hydraulic Outlets	Location of Hydraulic Outlets	The same of	× Flow	Max Pressure
Applications	V5242	V5271	V5272	V5273	V5274	V5276	V5232	V5233	V5250			Outlets	Coulets	X900	(pm) X1120	(psi)
Kubota Implements	1	Designation of the last		uire					2					A500	X1100	
Converts RTV-X900G to Hydraulic Bed Lift	X		-	T	, 0		Ptilo		-	Lever	0	ALA		-		
V5007 Hydraulic Angulation Kit for V5008 Blade	+^	1						\vdash				NA	NA	2.4	3	1784
72" Commercial Blade	+-	3	_	0	0	Н	х	\vdash	-	Lever Push Button	2	Front	Front	3.9	5	2132
72" V Blade		7	_	_	ŏ		X	х		Push Button	7	Front	Front	3.9	5	2132
60" Rotary Broom	+	>		_	0		x	x	х	Push Button	7	Front	Front	3.9	5	2132
Aftermarket Implements		_		uire	_	= 0			1	rusii button		Front	Front	3.9	5	2132
Stationary Vehicle Applications Only - 1 Cylinder (①②④)						х				Uses Bed Lift Lever	2	Rear	Rear	2.4	3	1784
1 Cylinder		Х		X						Lever	2	Fitting®	Middle®	3.9	5	2132
2 Cylinder		X		1	х	\neg		\neg		Lever	4	Fitting®	Middle®	3.9	5	
1 Hydraulic Motor (momentary operation)		Х		X		\neg	\neg	\neg	0	Lever	4	Fitting®	Middle®	3.9	5	2132
1 Hydraulic Motor (momentary operations) and 1 Cyl		X			X	\neg	1	7	0	Lever	4	Fitting 3	Middle 3	3.9	5	
L Hydraulic Motor (continuous operation)		X		\neg	1	\neg	X	\dashv	X	Push Button	4	Fitting 3	Front	3.9	2	2132
L Hydraulic Motor (continuous operation) and 1 Cyl	_	X	\rightarrow	_	-	_				- mail marrelli	-	1 ILLIII W	LIGHT	3.3	3	2132

 $[\]ensuremath{\mathbb{D}}$ Vehicle must be stationary to use this Hydraulic circuit, otherwise loss of steering will result.

② This circuit cannot be used to power Hydraulic Motors.

These are 9/16-18 Male JIC Fittings (capped) located in the middle section of the RTV above the front belly pan.

RTV-X900G models require V5242 Hydraulic Bed Lift Circuit.

⑤ For applications requiring V5273 Single Hydraulic Valve Kit, the customer can order V5274 instead, if two remote valves are preferred.

X = Required, O = Optional



XTV 750 B

MODEL		REFERENCE NUMBER	MSRP
XTV 750 B (MODEL YEAR 2017) (Includes 3 YR POWERTRAIN WARRANTY;	1 YR BUMPER-TO-BUMPER)	The state of the s	\$11,399
SPECS			
MEASUREMENTS			
LENGTH	113"		
WIDTH	63"		
HEIGHT	78"		
WHEELBASE	77"		
CLEARANCE	12"		
CURB WEIGHT	1,571 LBS.		
GROSS VEHICLE WEIGHT RATING (GVWR)	3,300 LBS.		
VEHICLE PAYLOAD	1,600 LBS.		
TOWING CAPACITY	2,100 LBS.		
TIRES		5	
FRONT	27x9x14 - 6 PLY		
REAR	27x11x14 - 6 PLY		

STANDARD EQUIPMENT	
MANUAL CARGO BOX LIFT	
2" REAR RECEIVER HITCH	
STAMPED STEEL WHEELS	
POWDER COATED & FUSION-BONDED	
SOLID STEEL BRIDGE FRAME	
3 PERSON BENCH SEATING	
12v AUXILIARY PLUG	

Specifications and design subject to change without notice.



XTV 750 C

MODEL		REFERENCE NUMBER	MSRP
XTV 750 C (MODEL YEAR 2017)			
(Includes 3 YR POWERTRAIN WARRANT	Y: 1 YR BUMPER-TO-BUMPER)		\$15,599
	,		
SPECS			
ENGINE			
TYPE	KOHLER GAS		
DISPLACEMENT	747cc		
BORE x STROKE	83mm x 69.9mm		
COMPRESSION RATIO	9.1:1		
OIL TYPE	SAE15-40W		
FUEL TANK CAPACITY	9 GALLONS		
CARBURETOR	ELECTRONIC FUEL INJ	ECTED THROTTLE BODY	
COOLING SYSTEM	AIR CIRCULATION W/	ELECTRIC FAN	
DRIVE SYSTEM	1		
DRIVE SYSTEM	4WD, ELECTRIC ON-D	FMAND	
FINAL DRIVE	SHAFT DRIVEN		
TRANSMISSION		BLE TRANSMISSION (CVT)	
RANGE	HIGH/LOW/NEUTRA		
PARKING SYSTEM	2 WHEEL GEAR LOCK	LY FIEVERIOLY FAIR	
FRONT DIFFERENTIAL	AUTO-LOCK		
REAR DIFFERENTIAL	PUSH-BUTTON LOCK		
SPEED	UP TO 33 MPH		
CTEPINO	1		
STEERING	DACK & BINION		
TYPE	RACK & PINION		
BRAKES			
TYPE	4-WHEEL HYDRAULIC	DISC	W
SUSPENSION			
FRONT	INDEPENDENT DUAL A		
REAR	INDEPENDENT DUAL A	A-ARM	
TRAVEL	10" TOTAL		
CARGO BOX	I		
DIMENSIONS	36"x56.5"x13"		
CAPACITY	1,000 LBS		
VOLUME	15.3 CU. FT.		
	, , , , , , , , , , , , , , , , , , , ,		



VOLUME

XTV 750 L

MODEL		REFERENCE NUMBER	MSRP
XTV 750 L [MODEL YEAR 2017]			1110111
	RANTY; 1 YR BUMPER-TO-BUMPER)		\$15,899
	En la Bolvii En la Bolvii En la		
SPECS			
ENGINE			
TYPE	KOHLER GAS		
DISPLACEMENT	747cc		
BORE x STROKE	83mm x 69.9mm		-
COMPRESSION RATIO	9.1:1		
OIL TYPE	SAE15-40W		
FUEL TANK CAPACITY	9 GALLONS		
CARBURETOR	ELECTRONIC FUEL INJE	CTED THROTTLE BODY	
COOLING SYSTEM	AIR CIRCULATION W/		
DRIVE SYSTEM			
DRIVE SYSTEM	4WD, ELECTRIC ON-DEI	MAND	
FINAL DRIVE	SHAFT DRIVEN	VIAINU	
TRANSMISSION		E TRANSMISSION (CVT)	
RANGE	HIGH/LOW/NEUTRAL/		
PARKING SYSTEM	2 WHEEL GEAR LOCK	HEVERSE/ PARK	
FRONT DIFFERENTIAL	AUTO-LOCK		
REAR DIFFERENTIAL	PUSH-BUTTON LOCK		
SPEED	UP TO 33 MPH		
STEERING TYPE			
TITE	RACK & PINION		
BRAKES			
TYPE	4-WHEEL HYDRAULIC DI	ISC	
SUSPENSION	1		
FRONT	INDEPENDENT DUAL A-A	NPM	
REAR	INDEPENDENT DUAL A-A		
TRAVEL	10" TOTAL	M HVI	
CARCO ROV			
CARGO BOX			114 114
DIMENSIONS	70"x60"x14"		
CAPACITY	1,200 LBS		

UP TO 34 CU. FT.



XTV 750 S

MODEL		REFERENCE NUMBER	MSRP
XTV 750 S (MODEL YEAR 2017) (Includes 3 YR POWERTRAIN WARRANTY; 1	YR BUMPER-TO-BUMPER)		\$13,599
SPECS			
MEASUREMENTS			
LENGTH	113"		
WIDTH	63"		
HEIGHT	78"		
WHEELBASE	77"		
CLEARANCE	12"		
CURB WEIGHT	1,571 LBS.		
GROSS VEHICLE WEIGHT RATING (GVWR)	3,300 LBS.		
VEHICLE PAYLOAD	1,600 LBS.		
TOWING CAPACITY	2,100 LBS.		
TIRES			
FRONT	27x10x14 - 6 PLY		
REAR	27x12x14 - 6 PLY		

STANDARD EQUIPMENT	
FRONT BUMPER	
ELECTRIC POWER CARGO BOX LIFT	
2" FRONT AND REAR RECEIVER HITCH	
BLACK ALUMINUM WHEELS	
POWDER COATED & FUSION-BONDED	
SOLID STEEL BRIDGE FRAME	
3 PERSON BENCH SEATING	
12v AUXILIARY PLUG	

Specifications and design subject to change without notice.



VOLUME

XTV 1000 C

MODEL		REFERENCE NUMBER	MSRP
XTV 1000 C (MODEL YEAR 2017)		THE ENGLISHED IN	IVIOITI
(Includes 3 YR POWERTRAIN WARR	ANTY; 1 YR BUMPER-TO-BUMPER)		\$18,599
SPECS		1	
ENGINE	1		
TYPE	KOHLER DIESEL		
DISPLACEMENT	1000cc		
BORE x STROKE	83mm x 69.9mm		
COMPRESSION RATIO	9.1:1		
OIL TYPE	SAE15-40W		
FUEL CAPACITY	9 GALLONS		
CARBURETOR	ELECTRONIC FUEL INJE	CTED THROTTLE BODY	
COOLING SYSTEM		ATION W/ ELECTRIC FAN	
140		THORWY ELECTRICIAN	
DRIVE SYSTEM			
DRIVE SYSTEM	4WD, ELECTRIC ON-DEI	MAND	
FINAL DRIVE	SHAFT DRIVEN		
TRANSMISSION	CONTINOUSLY VARIABLE	E TRANSMISSION (CVT)	
RANGE	HIGH/LOW/NEUTRAL/		
PARKING SYSTEM	2 WHEEL GEAR LOCK		
FRONT DIFFERENTIAL	AUTO-LOCK		
REAR DIFFERENTIAL	PUSH-BUTTON LOCK		
SPEED	UP TO 33 MPH		
STEERING	1		
TYPE	RACK & PINION		
BRAKES			
TYPE	4-WHEEL HYDRAULIC D	SC	
SUSPENSION			
FRONT	INDEPENDENT DUAL A-A	APM	
REAR	INDEPENDENT DUAL A-A		
TRAVEL	10" TOTAL	MINI	
	•		
CARGO BOX			
DIMENSIONS	36"x56.5"x13"		
CAPACITY	1,200 LBS		
1 (7) 1 1 1 4 7			

15.3 CU. FT.



XTV 1000 C CAMO

MODEL		REFERENCE NUMBER	MSRP
XTV 1000 C CAMO (MODEL YEAR 20	17)		
(Includes 3 YR POWERTRAIN WARRA			\$19,099
			* 41
SPECS			
ENGINE			
TYPE	KOHLER DIESEL		
DISPLACEMENT	1000cc		
BORE x STROKE	83mm x 69.9mm		
COMPRESSION RATIO	9.1:1		
OIL TYPE	SAE15-40W		
FUEL CAPACITY	9 GALLONS		
CARBURETOR		ECTED THROTTLE BODY	
COOLING SYSTEM	AIR CIRCULATION W/		
DRIVE SYSTEM	1		
DRIVE SYSTEM	AVAID ELECTRIC ON DE	MANID	
	4WD, ELECTRIC ON-DE	IVIANU	
FINAL DRIVE	SHAFT DRIVEN		
TRANSMISSION RANGE		LE TRANSMISSION (CVT)	
	HIGH/LOW/NEUTRAL	/REVERSE/PARK	
PARKING SYSTEM	2 WHEEL GEAR LOCK		
FRONT DIFFERENTIAL	AUTO-LOCK		
REAR DIFFERENTIAL	PUSH-BUTTON LOCK		
SPEED	UP TO 33 MPH		
STEERING			
TYPE	RACK & PINION		
PDAKES	1		
BRAKES TYPE	4-WHEEL HYDRAULIC D	NEC	
	4-WHEEL HIDRAGUE L	1130	
SUSPENSION	1		
FRONT	INDEPENDENT DUAL A-	ARM	
REAR	INDEPENDENT DUAL A-		
TRAVEL	10" TOTAL		
CARGO BOX			
DIMENSIONS	36"x56.5"x13"		
CAPACITY	1,000 LBS		
VOLUME	15.3 CU. FT.		



XTV 1000 L

MODEL		REFERENCE NUMBER	MSRP
XTV 1000 L [MODEL YEAR 2017]			
(Includes 3 YR POWERTRAIN WARRAN	TY; 1 YR BUMPER-TO-BUMPER)		\$18,899
SPECS			. 8
SPECS			
ENGINE	1		
TYPE	KOHLER DIESEL		
DISPLACEMENT	1000cc		
BORE x STROKE	75mm x 77.6		
COMPRESSION RATIO	22, 8:1		
OIL TYPE	SAE15-40W		
FUEL TANK CAPACITY	9 GALLONS		
CARBURETOR	ELECTRONIC FUEL INJE	CTED THROTTLE BODY	
COOLING SYSTEM		TION W/ ELECTRIC FAN	
DRIVE SYSTEM			
DRIVE SYSTEM	4WD, ELECTRIC ON-DEN	MAND	
FINAL DRIVE	SHAFT DRIVEN	VIAIND	
TRANSMISSION	CONTINOUSLY VARIABL	E TRANSMICCION (C) (T)	
RANGE	HIGH/LOW/NEUTRAL/		
PARKING SYSTEM	2 WHEEL GEAR LOCK	HEVERSE/ PARK	
FRONT DIFFERENTIAL	AUTO-LOCK		
REAR DIFFERENTIAL	PUSH-BUTTON LOCK		
SPEED	UP TO 33 MPH		
STEERING	1		
TYPE			
TYPE	RACK & PINION		
BRAKES			
TYPE	4-WHEEL HYDRAULIC DI	SC	
SUSPENSION	1		
FRONT	INDEDENDENT DUAL A A	51.4	
REAR	INDEPENDENT DUAL A-A		
TRAVEL	INDEPENDENT DUAL A-A 10" TOTAL	HIVI	-
CARGO BOX			
DIMENSIONS	70"x60"x14"		
CAPACITY	1,200 LBS		
VOLUME	UP TO 34 CU. FT.		




VOLUME

XTV 1000 S

MODEL		REFERENCE NUMBER	MSRP
XTV 1000 S (MODEL YEAR 2017)			1110111
(Includes 3 YR POWERTRAIN WARRA	ANTY: 1 YR RI IMPERTORI IMPERI		\$16,599
(Includes & TITI GVVETTI AIR VVATILIA	ANT, I TH BOWN EI FIO BOWN EN		
SPECS		1	
ENGINE			
TYPE	KOHLER DIESEL		
DISPLACEMENT	1000cc		
BORE x STROKE	75mm X 77.6		
COMPRESSION RATIO	9.1:1		
OIL TYPE	SAE15-40W		
FUEL TANK CAPACITY	9 GALLONS		
CARBURETOR	ELECTRONIC FUEL INJE	CTED THROTTLE BODY	
COOLING SYSTEM	LIQUID PUMP CIRCULA	ATION W/ ELECTRIC FAN	
DRIVE SYSTEM			
DRIVE SYSTEM	4WD, ELECTRIC ON-DE	ΜΑΝΠ	
FINAL DRIVE	SHAFT DRIVEN	TIM 4D	
TRANSMISSION		LE TRANSMISSION (CVT)	
RANGE	HIGH/LOW/NEUTRAL		
PARKING SYSTEM	2 WHEEL GEAR LOCK	,	
FRONT DIFFERENTIAL	AUTO-LOCK		
REAR DIFFERENTIAL	PUSH-BUTTON LOCK		
SPEED	UP TO 35 MPH		
CTEEDING	1		
STEERING TYPE	RACK & PINION		
	1		
BRAKES			
TYPE	4-WHEEL HYDRAULIC [DISC	
SUSPENSION			
FRONT	INDEPENDENT DUAL A-	ΔRM	
REAR	INDEPENDENT DUAL A-		
TRAVEL	10" TOTAL		
CARGO BOX			
DIMENSIONS	36"x56.5"x13"		
CAPACITY	1,200 LBS		

15.3 CU. FT.



XTV 1000 S WITH FLEXHAULER CARGO BOX

MODEL		REFERENCE NUMBER	MSRP
XTV 1000 S WITH FLEXHAULER CARGO BO	OX (MODEL YEAR 2017)		
(Includes 3 YR POWERTRAIN WARRANTY;	1 YR BUMPER-TO-BUMPER)		\$16,999
SPECS			
ENGINE	Ĭ		
TYPE	KOHLER DIESEL		
DISPLACEMENT	1000cc		
BORE x STROKE	75mm X 77.6		
COMPRESSION RATIO	9.1:1		
OIL TYPE	SAE15-40W		
FUEL TANK CAPACITY	9 GALLONS		
CARBURETOR	ELECTRONIC FUEL INJE	CTED THROTTLE BODY	
COOLING SYSTEM	AIR CIRCULATION W/ E		
DRIVE SYSTEM	1		
DRIVE SYSTEM	4WD, ELECTRIC ON-DEN	AAND	
FINAL DRIVE	SHAFT DRIVEN	VIAINU	
TRANSMISSION	CONTINOUSLY VARIABL	E TO ANICA (ICCION) (O) (D)	
RANGE	HIGH/LOW/NEUTRAL/		
PARKING SYSTEM	2 WHEEL GEAR LOCK	NEVERSE/ PARK	
FRONT DIFFERENTIAL	AUTO-LOCK		
REAR DIFFERENTIAL	PUSH-BUTTON LOCK		
SPEED	UP TO 35 MPH		
STEERING	1		
TYPE	RACK & PINION		
PRAVEO	1		
BRAKES TYPE	ANALITELLINGSALILIE		
	4-WHEEL HYDRAULIC DI	SC	
SUSPENSION			
FRONT	INDEPENDENT DUAL A-A	RM	
REAR	INDEPENDENT DUAL A-A		
TRAVEL	10" TOTAL		
CARGO BOX	T		
DIMENSIONS	44"x64"x14"		
	44 Yh4 Y1/1"		
CAPACITY	1,200 LBS		



REAR

TRAVEL

CARGO BOX DIMENSIONS

CAPACITY

VOLUME

XTV 1000 S CAMO

MODEL		REFERENCE NUMBER	MSRP
XTV 1000 S CAMO (MODEL YEAR 2017)			
(Includes 3 YR POWERTRAIN WARRANTY;	1 YR BUMPER-TO-BUMPER)	013949M00	\$17,099
SPECS			
ENGINE			
TYPE	KOHLER DIESEL		
DISPLACEMENT	1000cc		
BORE x STROKE	75mm X 77.6		
COMPRESSION RATIO	9.1:1		
OIL TYPE	SAE15-40W		
FUEL TANK CAPACITY	9 GALLONS		
CARBURETOR	ELECTRONIC FUEL INJE	CTED THROTTLE BODY	
COOLING SYSTEM		TION W/ ELECTRIC FAN	
DRIVE SYSTEM	1		
DRIVE SYSTEM	4WD, ELECTRIC ON-DE	ΜΔΝΠ	
FINAL DRIVE	SHAFT DRIVEN		
TRANSMISSION		LE TRANSMISSION (CVT)	
RANGE	HIGH/LOW/NEUTRAL		
PARKING SYSTEM	2 WHEEL GEAR LOCK	THE TENED OF THE T	
FRONT DIFFERENTIAL	AUTO-LOCK		
REAR DIFFERENTIAL	PUSH-BUTTON LOCK		
SPEED	UP TO 35 MPH		
STEERING			
TYPE	RACK & PINION		
BRAKES			
TYPE	4-WHEEL HYDRAULIC D	NISC	
SUSPENSION			
FRONT	INDEPENDENT DUAL A-	ARM	
DEAD			

INDEPENDENT DUAL A-ARM

10" TOTAL

36"x56.5"x13"

1,200 LBS

15.3 CU. FT.





ACCESSORIES

PART NUMBER	DESCRIPTION	1		MSRP
793100000	THERMOPLASTIC ROOF (S, L & B MODELS)	1-2		\$385.00
793103110	ALUMINUM ROOF (S, L & B MODELS)			\$385.00
793100210	LEXAN FRONT WINDSHIELD	٠,	-	\$385.00
793601160	TILT WINDSHIELD	7,		\$1,039.00
793103000	D.O.T. GLASS WINDSHIELD WITH WIPER	+		\$654.00
793104000	FOLD-DOWN LEXAN FRONT WINDSHIELD	_		\$405.00
793105410	CLEAR BACK PANEL		-	\$276.00
793100300	REAR TUBULAR BUMPER	7		\$231.00
793101600	REAR RACK	1 '	-	\$308.00
793104100	UNIVERSAL RACK	+		\$308.00
793104710	TOOL BOX	T		\$480.00
793104800	BED MAT (S&C MODELS)	 		
793100800	NERF BAR ASSEMBLY (BOTH SIDES)	+		\$144.00
793101100	CV JOINT PROTECTOR ASSEMBLY			\$211.00
793105800	FRONT BUMPER W/ MAHINDRA LOGO			\$96.00
793601110	BASIC CAB (S, L & B MODELS)			\$345.00
793601420	SOFT-DOOR CAB (S, L & B MODELS)	T		\$3,666.00
793601140	WIPER/WASHER SET FOR CAB ENCLOSURE	-	-	\$2,399.00
693356010	SIDE VIEW BREAK AWAY MIRRORS	_		\$505.00
693355000	REAR VIEW MIRROR	-		\$54.00
693600400	WARN PRO 4,000 LB WINCH	-		\$15.00
693600500	WARN PRO VANTAGE 4,500 LB WINCH	-		\$392.00
088905100	UTV DISC PLOW	+ :	_	\$698.00
793103800	72 IN. SNOW BLADE	+		\$405.00
600100000	2-GUN FLOOR-MOUNTED GUN RACK	+ '		\$1,781.00
600110000	4-GUN FLOOR-MOUNTED GUN RACK			\$194.00
800300100	2-GUN ABOVE-HEAD GUN RACK	-		\$212.00
600140000	2-GUN POWER-RIDE GUN RACK	+		\$163.00
793201900	WET SOUNDS 6 SPEAKER SOUNDBAR	+		\$194.00
793201800	WET SOUNDS 10 SPEAKER SOUNDBAR	-	-	\$810.00
693376010	LIGHT KIT 13.5"	+		\$950.00
693376510	LIGHT KIT 13.5" GREEN	+		\$224.00
693376110	LIGHT KIT 20"	† .		\$224.00
693376210	LIGHT KIT 30"	i		\$319.00
693376310	LIGHT KIT 40"	+		\$440.00
793106500	NO CLASS LED AMBER SMALL BEACON	t		\$565.00
793106600	CLASS II LED BEACON	-		\$85.00
793106700	NO CLASS LED SURFACE MOUNT STROBE	†		\$122.00
793106400	12VDC HORN	†		\$67.00
793407820	TURN SIGNAL KIT	+		\$40.00 \$308.00

^{*}Accessories sold through Whole Goods

^{*}Warranty on Accessories: Free from Defect upon Receipt at Dealership; No Additional Warranties are Provided

Kubota,

KUBOTA










Featuring a robust, heavy-duty platform, electronic fuel injection (EFI) and an advanced Continuously Variable Transmission with inertial clutch (CVT Plus) for excellent response and reliability, the new 4WD RTV400Ci will be at your ready, whether you're canvassing your property or jobsite, caring for livestock, or hunting in the woods.




16HP Air-cooled EFI Gasoline Engine

The RTV400Ci incorporates a new, high-revving 16HP air-cooled, single-cylinder gasoline engine that was developed to meet Kubota's stringent performance specifications and durability requirements. This engine also features an Electronic Fuel Injection (EFI) system that helps eliminate cold starting issues and annoying manual choke adjustments that plague competitors' carbureted utility vehicles.

CVT Plus

(Continuously Variable Transmission with Inertial Clutch)

The RTV400Ci's newly designed CVT Plus is virtually worry free. The exclusive inertial clutch keeps the thick, double cogged-belts tight for minimal slippage, resulting in greater response and much better durability than the competitors' belt-drive systems. As an additional plus, the inertial clutch provides noticeable dynamic braking to help maintain control during descents with engine-assisted deceleration. And for more plus, CVT Plus has a full protection cover to minimize mud or dust intrusion, enhancing durability and enabling a longer belt life.





KUBOTA

Standard Rollover Protective

Structure (ROPS)





Comfortable Operator Area

Get in and get going. The RTV400Ci features ergonomic, well-placed controls for easy operation, and a comfortable contoured bench seat, so both the driver and passenger can enjoy a full day of work or play. The low operator platform offers ample and obstacle-free leg room, so it's simple to step on or off.

Designed for Convenient Transportation

Kubota specifically designed the RTV400Ci's compact frame to make it easy to load into the bed of a fullsize long bed pickup truck*. It's ideal for camping, hunting, or any rugged outdoor adventure.



54.7 inches

* Always secure RTV with proper tie-downs, especially with open tailgate.




RIVACOCI

The RTV500—advanced technology from Kubota delivers exceptional performance and reliability in a compact size.

Whether you're tending a park, hunting in the woods, or simply roaming your property, let Kubota's RTV500 take you wherever you need to go. This quiet utility vehicle features Kubota's durable liquid-cooled EFI gasoline engine, variable hydrostatic transmission, and more—all packed into a compact body. Used for a variety of applications, it's powerful and rugged enough to handle uneven terrain, yet it can fit into the bed of a full-size pickup truck, so you can take it with you. With all of this and more, you can rest assured that the high-performance RTV500 is always at the ready, no matter where you want to go.

Kubota Liquid-cooled EFI Gasoline Engine

The RTV500's smooth 15.8-horsepower, 2-cylinder Kubota gasoline engine is liquid-cooled to ensure reliability and minimize noise and vibration, reducing operator fatigue and increasing efficiency. The engine features an Electronic Fuel Injection (EFI) system that provides on-demand power, optimizes acceleration and enhances quiet operability. Plus, the EFI eliminates the need to adjust the carburetor—enabling better engine start-up in cold weather or after long-term storage, and improving engine serviceability.



VHT Plus

(Variable Hydro Transmission)

Kubota's exclusive and innovative hydrostatic transmission provides the RTV500 with an exceptional level of performance, handling, and reliability under tough conditions. Approach long downhill grades with confidence utilizing the VHT Plus' smooth, engineassisted deceleration. In addition, the VHT offers

outstanding traction and impressive power, providing the muscle to take you almost anywhere.









Comfortable Operator Area

Get in and get going. The RTV500 features ergonomic, well-placed controls for easy operation, and a comfortable contoured bench seat, so both the driver and passenger can enjoy a full day of work or play. The low operator platform offers ample and obstacle-free leg room, so it's simple to step on or off.

Designed for Convenient Transportation Kubota specifically designed the

Kubota specifically designed the RTV500's compact frame to make it easy to load into the bed of a full-size long bed pickup truck*. It's ideal for camping, hunting, or any rugged outdoor adventure.



72 inches

54.7 inches

Always secure RTV with proper tie-downs, especially with open tailgate.



KUBOTA UTILITY VEHICLE

RIV500

_		Section 2	1	1	
	no		ica	tio	ne
•		-211	100	u.	шо

Model Name			RTV400Ci	RTV500		
Engine	Туре		1-cylinder, Gas, OHC, Air-cooled, EFI	2-cylinder, Gas, OHC, Water-cooled, EFI		
	Displacement	cu. in. (cc)	24.6 (404)	27.8 (456)		
	Horsepower I	HP (kW) / rpm	16.0 (11.9) / 4800	15.8 (11.8) / 3600		
Fuel tank capacity U.S. gals (/)		U.S. gals (/)	5.2 (20)			
Transmission			CVT PLUS Continuously Variable Transmission (CVT) with Inertial Clutch	VHT PLUS Variable Hydro Transmission		
Max. traveling speed mph (km/h)		mph (km/h)	25 (40)			
Wheels, drive system			4, 4WD w/2WD selection			
Differential lock			Standard; hand operated with mechanical holder			
Gear selection			Hi-Lo range forward, neutral, reverse			
Brakes Front / Rear			Dry-disc brakes			
Diakes	Parking brake		Rear wheel, hand lever			
Steering			Rack & Pinion			
Suspension	Suspension Front / Rear		Independent, Mac-Pherson strut-type / Semi-independent, multi-link			
Dimensions	Length	in. (mm)	105,9 (
	Width	in. (mm)	54.7 (1390)			
	Height, overall	in. (mm)	72 (1829)			
	Front tread centers	in. (mm)	40 (1)	016)		
	Rear tread centers	in. (mm)	41 (1041)			
	Wheelbase	in. (mm)	70.9 (1800)			
	Ground clearance front/rear axle	in. (mm)	8.1 (205) / 6.9 (172)			
Turning diameter ft. (m)		ft. (m)	22.9 (7)			
Max. rolling weight (towing capacity) lbs. (kg)		lbs. (kg)	1102 (500)		
Payload capacity		lbs. (kg)	1058 (480)	949 (430)		
Weight		lbs. (kg)	1246 (565) with ATV tires, 1257 (570) with HDWS Tires	1358 (615) with ATV Tires, 1369 (620) with HDWS Tires		
Cargo bed	Width × Length × Depth	in. (mm)	40.6 (1032) × 33.7 (856) × 11.4 (290)			
	Volume	cu, ft. (m³)	9.0 (0.25)			
	Bed height (unloaded)	in. (mm)	31.9 (810)			
	Cargo bed load	lbs. (kg)	441 (200)			
Tires	Front		24 × 9-12 ATV. 6PLY			
			24 × 9-12 HDWS, 6PLY			
Tires	Rear		24 × 11-12 ATV, 6PLY			
			24 × 11-12 HDWS, 6PLY			
Body color			Orange, Camouflage (Realtree® Hardwoods®)			
Speedometer			Opt.			
Front guard			Opt.			
Headrest			Opt.			

"Realtree®" is a registered trademark of Jordan Outdoor Enterprises. Ltd.

The values in "Ground clearance" and "Weight" are those of the machine equipped with the tires in the table above. Some RIVs in this web site are shown with optional accessories. For off-inproxy use only



KUBOTA TRACTOR CORPORATION

Visit our web site at: www.kubota.com

Cat.No.2263-01-US Printed in Japan.D.REX.'12-MAR.



©2012 Kubota Corporation